Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



a SD 11



Forest Service

North Central Research Station

Resource Bulletin NC-215



Iowa Timber Industry— An Assessment of Timber Product Output and Use, 2000

Ronald J. Piva and Dennis D. Michel





North Central Research Station
Forest Service—U.S. Department of Agriculture
1992 Folwell Avenue
St. Paul, Minnesota 55108
2003
www.ncrs.fs.fed.us

FOREWORD

In this bulletin we discuss recent lowa forest industry trends and report the results of a detailed study of the forest industry, industrial roundwood production, and associated primary mill wood and bark residue in Iowa in 2000. Such detailed information is necessary for intelligent planning and decisionmaking in wood procurement, forest resources management, and forest industry development. Likewise, researchers need current forest industry and industrial roundwood information for planning projects.

Special thanks are given to the primary wood-using firms for supplying information for this study and to the Iowa Department of Natural Resources, Bureau of Forestry, for canvassing the respondents. Their cooperation is greatly appreciated.

All board foot data in this report have been converted to International 1/4-inch scale by applying a multiplier of 1.08 to all saw log volumes reported in Scribner Decimal C scale by sawmills and a multiplier of 1.38 to all saw log volume reported in Doyle scale by sawmills.

When new surveys are completed, errors and omissions from previous surveys are corrected. As a result of our ongoing efforts to improve the survey's efficiency and reliability, changes may have been made to the previous survey's data. All comparisons and analysis in this report are based on the reprocessed data from earlier surveys, which may not match earlier published data.

The last published report from a detailed study of all industrial roundwood output in lowa was for 1994. Most comparisons in this report are with the 1994 study results. Rows and columns may not sum due to rounding, but data in each table cell are accurately displayed.

CONTENTS

Highlights	1
Primary Timber Industry—Industrial Roundwood	1
Saw Logs	3
Other Products	4
Timber Removals	4
Harvest Residues	4
Primary Mill Residues	5
Appendix	7
Study Methods	7
Definition of Terms	7
Common and Scientific Names of Tree Species Mentioned	
in This Report	12
Table Titles	14
Tables	15

Iowa Timber Industry—An Assessment of Timber Product Output and Use, 2000

Ronald J. Piva and Dennis D. Michel

HIGHLIGHTS

PRIMARY TIMBER INDUSTRY—INDUSTRIAL ROUNDWOOD

- In 2000, Iowa's primary wood-using industry was comprised of 57 sawmills, 1 pulp mill, and 1 veneer mill (table 1).
 Thirty-eight mills reported in 1994 were closed or inactive in 2000. The majority of the closed or inactive mills were small mills with an annual production of less than 1 million board feet per year.
- Fifty-four of the State's 57 sawmills, the 1 pulp mill, and the 1 veneer mill were located in the two eastern Forest Survey Units (fig. 1).
- In 2000, the primary wood-using mills in Iowa processed 19.9 million cubic feet of industrial roundwood, an increase of almost 7 percent from 1994.
- Almost 72 percent of the industrial roundwood processed by the State's primary wood-using mills were cut from Iowa's forest lands. Illinois supplied 58 percent of the raw material imported by

About the Authors:

Ronald J. Piva, Forester, received a B.S. in forest management from the University of Missouri-Columbia. He joined the Forest Service in 1987 and has been working with the North Central Station's Forest Inventory and Analysis unit since.

Dennis D. Michel,
Products & Utilization
Forester, received a B.S.
in forest management
from Iowa State
University-Ames. He
worked for the Iowa
Conservation Commission from 1971 to1980,
the Iowa Wood Industries Association from
1980 to 1987, and the
Iowa Department of
Natural Resources from
1987 on.




Figure 1.—Forest Survey Units and location of wood-using mills in Iowa, 2000.

Iowa's primary wood-using mills. Wisconsin and Missouri were the next leading suppliers of industrial roundwood to the State with 22 percent and 12 percent of the total imports, respectively (table 2).

- Iowa's primary wood-using mills in 2000 processed mainly hardwood species. Less than one-quarter of 1 percent of the industrial roundwood processed was softwood species.
- The production of industrial roundwood increased from 16.3 million cubic feet in 1994 to 17.5 million cubic feet in 2000, an increase of almost 7 percent (table 3).
- The production of saw logs accounted for 88 percent of the total industrial roundwood produced in 2000. The production of pulpwood products, the second largest consumer of Iowa's industrial roundwood production, accounted for 8 percent of the total production (fig. 2).
- In 2000, the Northeastern Unit produced 58 percent of the industrial roundwood produced in Iowa, followed by the Southeastern Unit with 37 percent. The Southwestern and Northwestern Units produced

- 3 percent and 2 percent, respectively, of the industrial roundwood for the State (table 4).
- Industrial roundwood production increased by over 40 percent for the Northwestern Unit between 1994 and 2000. Production increased by 18 percent in the Northeastern Unit during the same period, remained relatively unchanged in the Southeastern Unit, and decreased by over 50 percent in the Southwestern Unit (fig. 3).
- The top five species groups harvested from Iowa's forest land in 2000 were red oak, white oak, soft maple, black walnut, and cottonwood. These five species groups accounted for 82 percent of the total industrial roundwood volume harvested (table 5).
- Eighty-two percent of the industrial roundwood produced in Iowa went to primary wood-using mills in Iowa.
 Wisconsin and Missouri were two major importers of industrial roundwood produced in Iowa in 2000, consuming over two-thirds of the total volume exported (table 6).




Figure 2.—Industrial roundwood production by product, Iowa, 1972, 1980, 1988, 1994, and 2000.




Figure 3.—Industrial roundwood production by Forest Survey Unit, Iowa, 1994 and 2000.

SAW LOGS

- Iowa's sawmills processed 96 million board feet of saw logs in 2000, down from 98 million board feet processed in 1994 (table 7).
- Soft maple, black walnut, and white oak saw log receipt volumes increased between 1994 and 2000, while cottonwood, red oak, and basswood saw log receipt volumes decreased.
- Iowa forests provided 89 million board feet of saw logs to sawmills in Illinois, Iowa, Minnesota, Missouri, Nebraska, South Dakota, and Wisconsin in 2000 (table 8).
- Red oaks accounted for 24 percent of the saw log production for Iowa in 2000.
 The white oak group was the second

- most harvested species group with 19 percent of the total saw log production, followed by soft maples with 17 percent (table 9).
- The Northeastern Unit was the leading producer of saw logs in 2000 with 49 million board feet, followed by the Southeastern Unit with 35 million board feet and the Southwestern and Northwestern Units each with 2 million board feet of saw logs.
- Overall, the production of saw logs in Iowa
 fell by 118 thousand board feet, or less
 than 1 percent, between 1994 and 2000.
 Major increases in saw log production
 from black walnut, red oaks, white oaks,
 and soft maples were offset by losses in
 saw log production from cottonwood and
 basswood (table 10 and fig. 4).




Figure 4.—Saw log production by species group, lowa, 1994 and 2000.

OTHER PRODUCTS

- Iowa's veneer log production increased from 2.8 million board feet in 1994 to 3.6 million board feet in 2000, an increase of 27 percent. Black walnut and white oaks combined accounted for 70 percent of the veneer log production in 2000 (table 11).
- Pulpwood production in Iowa increased by 63 percent, from 10 thousand cords in 1994 to 17 thousand cords in 2000.
 Cottonwood accounted for 44 percent of the volume harvested for pulpwood in 2000 (table 12).
- Timber harvesting from lowa's forest in 2000 provided cooperage logs and industrial fuelwood for mills in other States.

TIMBER REMOVALS

In the production of industrial round-wood in 2000, 17 million cubic feet of lowa's growing-stock inventory was removed from timberland. Eighty percent of the growing-stock removed was used for products (table 13).

- Sixty percent of the total wood material harvested from lowa's forests in 2000 was used for primary wood products.
 The remainder was left on the ground as harvest residues (fig. 5).
- Cull trees accounted for 56 percent of the non-growing-stock sources of roundwood used for the production of primary wood products.
- Fifty-eight percent of the growing-stock removals came from the Northeastern Unit, 38 percent from the Southeastern Unit, and 2 percent came from each of the Northwestern and Southwestern Units (table 14).
- Industrial roundwood harvesting also removed 66 million board feet of wood from the sawtimber portion of lowa's growing-stock inventory in 2000 (table 15), a 2-percent decrease from 1994.

HARVEST RESIDUES

 In 2000, harvesting of industrial roundwood products left 12 million cubic feet of harvest residues on the ground in Iowa (table 16)—up only 1 percent from 1994.




Figure 5.—Distribution of timber removals for industrial roundwood by source of material, lowa, 2000.

- The oak and maple species groups accounted for 71 percent of the volume of harvest residues generated in Iowa in 2000.
- Seventy percent of the wood material left on the ground after the harvest of Iowa's industrial roundwood in 2000 came from non-growing-stock sources such as cull trees and trees from nonforest land.

PRIMARY MILL RESIDUES

- In converting industrial roundwood into products such as lumber, wood pulp, and veneer, Iowa's primary wood-using industry generated 257 thousand green tons of wood and bark residues (table 17).
- Fifty-one percent of the mill residues produced in 2000 were in the form of coarse wood residues, such as slabs and edgings, which are suitable for chipping.

- Fine residues made up another 27 percent of the mill residues produced, and bark residue accounted for the remaining 22 percent (fig. 6).
- Nearly all mill residues were used.
 Miscellaneous uses, such as livestock bedding, mulch, and small dimension lumber, consumed 45 percent of the total residues produced by Iowa's primary wood-using mills in 2000. Industrial and domestic fuel consumed another 29 percent of the mill residues produced (fig. 7).
- Almost three-fourths of the bark residue was used for miscellaneous uses such as mulch or livestock bedding. Less than 1 percent of the bark went unused in 2000.
- In 2000, 4 percent of the mill residues generated by Iowa's primary wood-using mills remained unused, while in 1994 only 2 percent of the mill residues went unused.



Figure 6.—Distribution of residues generated by primary wood-using mills by type of residue, Iowa, 2000.




Figure 7.—Distribution of residues generated by primary wood-using mills by method of disposal, lowa, 2000.

APPENDIX

STUDY METHODS

This study was a cooperative effort of the Iowa Department of Natural Resources (IADNR) and the North Central Research Station (NCRS). Using mail questionnaires supplied by NCRS and designed to determine the size and composition of the State's primary wood-using industry, its use of roundwood, and its generation and disposition of wood residues, the IADNR canvassed all primary wood-using mills within the State. IADNR made followups to non-responding mills using additional mailings, telephone calls, and personal contacts until a 100-percent response was achieved. Completed questionnaires were sent to NCRS for editing and processing.

As part of data editing and processing, all industrial roundwood volumes reported on the questionnaires were converted to standard units of measure using regional conversion factors. Timber removals by source of material and harvest residues generated during logging were estimated from standard product volumes using factors developed from logging utilization studies previously conducted by NCRS. Finalized data on Iowa's industrial roundwood receipts were loaded into a regional timber removals database where they were supplemented with data on out-of-State uses of Iowa roundwood to provide a complete assessment of Iowa's timber product output.

DEFINITION OF TERMS

Board foot

Unit of measure applied to roundwood. It relates to lumber that is 1 foot long, 1 foot wide, and 1 inch thick (or its equivalent).

Bolt

A short log no more than 8 feet long, to be sawn for lumber, peeled or sliced for veneer, shaved for excelsior, or converted into shingles, cooperage stock, dimension stock, blocks, blanks, etc.

Central stem

The portion of a tree between a 1-foot stump and the minimum 4.0-inch top diameter outside bark, or point where the central stem breaks into limbs.

Coarse mill residue

Wood residue suitable for chipping such as slabs, edgings, and veneer cores.

Commercial species

Tree species presently or prospectively suitable for industrial wood products. (Note: Excludes species of typically small size, poor form, or inferior quality such as hophornbeam, Osage-orange, and redbud.)

Cull removals

Net volume of rough and rotten trees plus the net volume in sections of the central stem of growing-stock trees that do not meet regional merchantability standards harvested for industrial roundwood products.

Dead removals

Net volume of dead trees harvested for industrial roundwood products.

Diameter at breast height (d.b.h.)

The outside bark diameter at 4.5 feet above the forest floor on the uphill side of the tree. For determining breast height, the forest floor includes the duff

layer that may be present, but does not include unincorporated woody debris that may rise above the ground line.

Fine mill residue

Wood residue not suitable for chipping such as sawdust and veneer clippings.

Forest land

Land at least 10 percent stocked by forest trees of any size, or formerly having had such tree cover, and not currently developed for nonforest use. (Note: Stocking is measured by comparing specified standards with basal area and/or number of trees, age or size, and spacing.) The minimum area for classification of forest land is 1 acre. Roadside, streamside, and shelterbelt strips of timber must have a crown width of at least 120 feet to qualify as forest land. Unimproved roads and trails, streams or other bodies of water, or clearings in forest areas shall be classed as forest if less than 120 feet wide.

Growing-stock removals

The growing-stock volume removed from the timberland inventory by harvesting industrial roundwood products. (Note: Includes sawtimber removals, poletimber removals, and logging residues.)

Growing-stock tree

A live timberland tree of commercial species that meets specified standards of size, quality, and merchantability. (Note: Excludes rough, rotten, and dead trees.)

Growing-stock volume

Net volume of growing-stock trees 5.0 inches d.b.h. and over, from 1 foot above the ground to a minimum 4.0-inch top diameter outside bark of the central stem or to the point where the central stem breaks into limbs.

Hardwoods

Dicotyledonous trees, usually broadleaved and deciduous.

Harvest residues

The total net volume of unused portions of trees cut or killed by logging. (Note: Includes both logging residues and logging slash.)

Industrial fuelwood

A roundwood product, with or without bark, used to generate energy at manufacturing facilities and schools, correctional institutions, or electric generating plants.

Industrial roundwood exports

The quantity of industrial roundwood harvested in a geographical area and transported to other geographical areas.

Industrial roundwood imports

The quantity of industrial roundwood received from other geographical areas.

Industrial roundwood products

Saw logs, pulpwood, veneer logs, poles, commercial posts, pilings, cooperage logs, particleboard bolts, shaving bolts, lath bolts, charcoal bolts, and chips from roundwood used for pulp or board products.

Industrial roundwood production

The quantity of industrial roundwood harvested in a geographic area plus all industrial roundwood exported to other geographical areas.

Industrial roundwood receipts

The quantity of industrial roundwood received by commercial mills in a geographic area plus all industrial roundwood imported from other geographical areas.

Industrial roundwood retained

The quantity of industrial roundwood harvested from and processed by commercial mills within the same geographical area.

International 1/4-inch rule

A log rule or formula for estimating the board foot volume of logs, allowing 1/2-inch of taper for each 4-foot length. The rule appears in a number of forms that allow for kerf. In this form, 1/4-inch of kerf is assumed. This rule is used as the USDA Forest Service standard log rule in the Eastern United States.

Limbwood removals

Net volume of all portions of a tree other than the central stem (including forks, large limbs, tops, and stumps) harvested for industrial roundwood products.

Logging residue

The net volume of unused portions of the merchantable central stem of growingstock trees cut or killed by logging.

Logging slash

The net volume of unused portions of the unmerchantable (non-growing stock) sections of trees cut or killed by logging.

Merchantable sections

Refers to sections of the central stem of growing-stock trees that meet either pulpwood or saw log specifications.

Net volume

Gross volume less deductions for rot, sweep, or other defects affecting use for roundwood products.

Noncommercial species

Tree species of typically small size, poor form, or inferior quality that normally do not develop into trees suitable for industrial roundwood products.

Classified in volume tables as rough trees.

Nonforest land

Land that has never supported forests, and land formerly forested where use for timber management is precluded by development for other uses. (Note: Includes areas used for crops, active Christmas tree plantations, orchards, nurseries, improved pasture, residential areas, city parks, improved roads of any width and adjoining clearings, powerline clearings of any width, and 1- to 39.9-acre areas of water classified by the Bureau of the Census as land.) If intermingled in forest areas, unimproved roads and nonforest strips must be more than 120 feet wide and more than I acre to qualify as nonforest land.

Nonforest land removals

Net volume of trees on nonforest lands harvested for industrial roundwood products.

Poletimber

A growing-stock tree at least 5.0 inches d.b.h. but smaller than sawtimber size (9.0 inches d.b.h. for softwoods, 11.0 inches d.b.h. for hardwoods).

Poletimber removals

Net volume in the merchantable central stem of poletimber trees harvested for industrial roundwood products.

Primary wood-using mills

Mills receiving roundwood or chips from roundwood for processing into products such as lumber, veneer, pulp, etc.

Primary wood-using mill residue

Wood materials (coarse and fine) and bark generated at manufacturing plants that process industrial roundwood into principal products. These residues include wood products (byproducts) obtained incidental to production of principal products and wood materials not utilized for some product.

Rotten tree

A tree that does not meet regional merchantability standards because of excessive unsound cull.

Rough tree

A tree that does not meet regional merchantability standards because of excessive sound cull. Includes noncommercial tree species.

Roundwood

Logs, bolts, or other round sections cut from trees (including chips from roundwood).

Sapling

A live tree between 1.0 and 5.0 inches d.b.h.

Sapling removals

Net volume in saplings harvested for industrial roundwood products.

Saw log portion

That portion of the central stem of sawtimber trees between the stump and the saw log top.

Saw log top

The point on the central stem of sawtimber trees above which a saw log cannot be produced. The minimum saw log top is 7.0 inches diameter outside bark for softwoods and 9.0 inches diameter outside bark for hardwoods.

Sawtimber removals

As used in table 13, sawtimber removals refers to the net volume in the merchantable central stem of sawtimber trees harvested for industrial roundwood products. (Note: Includes the saw log and upper stem portions of sawtimber trees.) When referring to the sawtimber volume removed from the timberland inventory as in table 15, sawtimber removals refers to the net volume in the saw log portion of sawtimber trees harvested for roundwood products or left on the ground as harvest residue, and is usually expressed in thousands of board feet (International 1/4-inch rule).

Sawtimber tree

A growing-stock tree containing at least a 12-foot saw log or two noncontiguous saw logs 8 feet or longer, and meeting regional specifications for freedom from defect. Softwoods must be at least 9.0 inches d.b.h. and hardwoods must be at least 11.0 inches d.b.h.

Sawtimber volume

Net volume in the saw log portion of sawtimber trees.

Softwoods

Coniferous trees, usually evergreen, having needles or scale-like leaves.

Timber product output

The volume of roundwood products produced from an area's forests.

Timberland

Forest land that is producing, or is capable of producing, in excess of 20 cubic feet per acre per year of industrial roundwood products under natural conditions, is not withdrawn from timber utilization by statute or administrative regulation, and is not associated with urban or rural development.

Tree

A woody plant usually having one or more perennial stems, a more or less definitely formed crown of foliage, and a height of at least 12 feet at maturity.

Upper stem portion

That portion of the central stem of sawtimber trees between the saw log top and the minimum top diameter of 4.0 inches outside bark, or to the point where the central stem breaks into limbs.

COMMON AND SCIENTIFIC NAMES OF TREE SPECIES MENTIONED IN THIS REPORT

SOFTWOODS
Eastern redcedar
Spruce
White spruce
Black spruce
Jack pine Pinus banksiana
Red pine Pinus resinosa
Eastern white pine
HARDWOODS
Hard maple
Black maple
Sugar maple
Soft maple
Boxelder
Red maple
Silver maple
Birch
River birch Betula nigra
Paper birchBetula papyrifera
Hickory
Bitternut hickory
Shellbark hickory
Shagbark hickory
Mockernut hickory
Pecan
Northern catalpa
Hackberry Celtis occidentalis
American beech
Ash
Black ash Fraxinus nigra

White ash	
Green ash	1
Honeylocust	
Butternut	J 0
Black walnut	* 8
Yellow-poplar	Liriodendron tulipifera
Black tupelo	Nyssa sylvatica
Sycamore	
Eastern cottonwood	
Aspen	
Bigtooth aspen	Populus grandidentata
Quaking aspen	Populus tremuloides
Black cherry	Prunus serotina
Red oak group	
Northern pin oak	Quercus ellipsoidalis
Shingle oak	Quercus imbricaria
Pin oak	Quercus palustris
Northern red oak	Quercus rubra
Black oak	Quercus velutina
White oak group	
White oak	Quercus alba
Swamp white oak	Quercus bicolor
Overcup oak	Quercus lyrata
Bur oak	Quercus macrocarpa
Chinkapin oak	Quercus muehlenbergii
Post oak	Quercus stellata
Black willow	Salix nigra
American basswood	Tilia americana
Elm	
American elm	
Siberian elm	Ulmus pumila
Slippery elm	Ulmus rubra

TABLE TITLES

Table 1.—Number of active primary wood-using mills by mill type, Iowa, 1972, 1980, 1988, 1994, and 2000

Table 2.—Industrial roundwood receipts by species group and State of origin, Iowa, 2000

Table 3.—Industrial roundwood production by product and softwoods and hardwoods, Iowa, 1972, 1980, 1988, 1994, and 2000

Table 4.—Industrial roundwood production by Forest Survey Unit, species group, and product, Iowa, 2000

Table 5.—Industrial roundwood production by Forest Survey Unit, county, and species group, Iowa, 2000

Table 6.—Industrial roundwood production by species group and destination, Iowa, 2000

Table 7.—Saw log receipts by species group, Iowa, 1994 and 2000

Table 8.—Saw log production by species group and destination, Iowa, 2000

Table 9.—Saw log production by Forest Survey Unit, county, and species group, Iowa, 2000

Table 10.—Saw log production by species group, Iowa, 1972, 1980, 1988, 1994, and 2000

Table 11.—Veneer log production by species group, Iowa, 1972, 1980, 1988, 1994, and 2000

Table 12.—Pulpwood production by species group, Iowa, 1994 and 2000

Table 13.—Timber removals for industrial roundwood by species group and source of material, Iowa, 2000

Table 14.—Growing-stock removals from timberland for industrial roundwood by Forest Survey Unit, county, and species group, Iowa, 2000

Table 15.—Sawtimber removals from timberland for industrial roundwood by Forest Survey Unit, county, and species group, Iowa, 2000

Table 16.—Residue generated by industrial roundwood harvesting by Forest Survey Unit, county, and species group, Iowa, 2000

Table 17.—Residues produced at primary wood-using mills by Forest Survey Unit, type of use, and residue type, Iowa, 2000

TABLES

Table 1.--Number of active primary wood-using mills by mill type, lowa, 1972, 1980, 1988, 1994, and 2000

Kind of mill and mill size	1979	2 8 8	0 0	000	6
Sawmills				t n n	2000
Large	ı	7	က	S	9
Medium ²	48	20	27	22	17
Small ³	12	19	35	42	34
Total	09	41	65	69	57
Cooperage mills	-	-		1	-
Veneer mills	2	-	-	-	-
Pulp mills	5	2	-	-	-
All mills	65	45	29	71	59

¹ Annual lumber production in excess of 5 million board feet.

² Annual lumber production from 1 million to 5 million board feet.

³ Annual lumber production less than 1 million board feet.

Table 2.--Industrial roundwood receipts by species group and State of origin, Iowa, 2000

(In thousand cubic feet)

					State of origin	origin		6	
Species group	Total	Illinois	Indiana	Iowa	Michigan Minnesota	Ainnesota	Missouri	Missouri Wisconsin Other U.S.	ler U.S.
Softwoods									
White pine	29	_	-	29	*	1	ı	1	1
Total	29	1	_	29	*	1	1	1	1
Hardwoods									
Soft maple	3,877	1,212	1	2,397	1	2	205	20	1
Hard maple	890	72	ı	701	28	2	9	81	1
River birch	20	1	ı	20	ı	I	1	ı	1
Hickory	529	213	1	244	1	က	19	20	1
Pecan	2	2	1	ı	ı	1	I	1	1
Hackberry	100	16	1	80	1	1	ı	ည	1
Beech	*	1	1	1	*	1	ı	1	1
Ash	544	110	ı	387	1	*	က	44	1
Black walnut	2,019	32	1	1,912		1	∞	29	1
Yellow-poplar	4		4	1	1	1	ı	1	1
Tupelo	8	1	1	1	1		ω	1	I
Sycamore	129	36	1	82	1	1	=	I,	1
Cottonwood	3,022	867	1	1,729	1	222	162	41	1
Aspen	39	1	1	18	1	9	ı	15	1
Black cherry	326	44	ı	207	1	1	ı	21	54
Red oak group	3,904	257	1	2,995	1	96	92	463	1
White oak group	3,338	180	1	2,756	1	27	114	261	1
Willow	24	1	ı	∞	ı	ω	ı	တ	1
Basswood	296	26	1	431	1	37	*	102	1
Elm	484	186	1	241	1	1	39	16	1
Total	19,859	3,255	4	14,209	39	407	299	1,224	54
All species	19,888	3,255	4	14,238	39	407	299	1,224	54
* Less than 500 cubic feet.	jt.								

Table 3.--Industrial roundwood production by product and softwoods and hardwoods, lowa, 1972, 1980, 1988, 1994, and 2000

(In thousand cubic feet)

				١	I		1	Hardwoode	١.			Ā	All species		
		ກ	Softwoods	s			ב								000
	1070	1980 1	1972 1980 1 1988 1 1994 20	1994	2000	1972	1980 1	1972 1980 1988 1 1994 2000	1994	2000	1972	1972 1980 1988 . 1994 2000	1988	1994	2000
Longola	716									11 10 11 1	4000	4000	40 040	11 007	15 281
000	17	*	C	21	66	8.987	10.621	10,816	14,886	15,355	9,004	10,021	10,01	14,301	10,00
Saw logs	-)		ì	1 1	140	200	570	670	1 157	1157 719 529 572 672	500	572	672
Veneer lone	ı	1	I	1	ı	7,15/	71/	276	2/6	7/0	1, 10,	1	1	1	
verice: 1983					27	2 441	1 320	1 225	814	1 320 1225 814 1.290	2,441	1,320	1,225	814	1,327
Pulpwood	I	I	1	i	5	7,1	2,0	, ,	(1	7	0 14		08	71
Spot operage		I	1	ı	i	102	558	ı	6.9		102	000	ı	60	
Cooperage logs						030	1	i	i	က	232	ı	ı	ı	က
Other products	i	1	1			404				100	000	7 70 0 7	40 1100	16 262	17 157
Total	17	*	3	21	99	12,919	13,211	12,919 13,211 12,563 16,340 17,391	16,340	17,391	12,936	12,936 13,211 12,500 10,302 17,437	12,300	10,302	104,7
**************************************	tile feet														

* Less than 500 cubic feet.

Data for 1980 and 1988 are estimates based on trend data and related studies.

² Includes shavings, chips, industrial fuelwood, etc.

Table 4.--Industrial roundwood production by Forest Survey Unit, species group, and product, Iowa, 2000

	All	2 MCF 2		*	- 24	13	- 29	99 –		2,702	1,028	-	- 20	- 261	- 81	1 441	*	2,272	101	1,948	- 54	- 286		2 3,358	8	- 550	- 272	*	3 17,391	3 17,457
	Industrial fuelwood	Cords 3 MCF			•	ı		-		ı	ı	i		1	1	20		ı	•	ì	1	ı	1	23	1	i	1	-	43	
		NCF ²		1	1	1	1	1		1	'	1	1	ľ	1	1	1	1	1	1	1	1	1	71	1	1	1	1	71	71
	Cooperage	MBF 1		1	1	1	-	-		,	ı	1	1	1	I	1	1	ı	1	1	1	ı	1	433	1	1	1	1	433	433
	poo	MCF 2		ı	24	13	-	37		220	18	ī	14	47	ı	89	ı	ı	8	581	1	-	172	88	1	9	69	1	1,290	1,327
ALL UNITS	Pulpwood	Cords 3		ı	306	161	1	468		2,781	233	1	171	591	1	860	1	1	86	7,351	1	14	2,176	1,113	1	92	870	-	16,335	16,802
1	logs	MCF 2		I	1	1	1	1		-	107	1	*	2	1	10	1	245	i	1	1	54	69	177	1	1	2	1	672	672
	Veneer Ic	MBF 1		1	1	ı	1	1		က	469	1	-		1	42	1	1,742	1	1	1	237	303	212	1	1	23	1	3,607	3,607
		MCF ²		*	1	*	29	29		2,482	905	-	9	211	81	362	*	2,027	94	1,368	54	231	3,766	3,019	8	544	198	*	15,355	15,384
	Saw logs	MBF 1		*	1	*	167	167		15,069	5,476	တ	38	1,283	495	2,197	2	9,259	268	9,673	330	1,403	21,155	16,963	47	3,303	1,201	-	88,471	88,639
	Species group		Softwoods	Spruce	Jack pine	Red pine	White pine	Total	Hardwoods	Soft maple	Hard maple	Paper birch	River birch	Hickory	Hackberry	Ash	Butternut	Black wainut	Sycamore	Cottonwood	Aspen	Black cherry	Red oak group	White oak group	Willow	Basswood	Elm	Northern catalpa	Total	All species

tinued	
4 con	
Table	

(Table 4 continued)			NOR	NORTHEASTERN			j			
Species group	Saw logs	Veneer	sbol	Pulpwood	H	Cooperage		Industrial fuelwood	poom	All
	MBF [†] MCF ²		MCF ²	Cords 3	MCF ²	MBF 1	MCF ²	M pieces	MCF ²	MCF 2
Softwoods										
Jack pine	1	ı	I	306	24	1	ī	1	1	24
Red pine		1	1	161	13	ı	1	1	ı	13
White pine			1		1	1	1	1	1	28
Total	160 28	1	1	468	37	1	1	1	1	65
Hardwoods										
Soft maple		-	*	2,445	193		1	1	1	1,079
Hard maple	5,152 849	407	93	200	16	1	1		1	957
Paper birch	6	1	1	1	ı	1	ı	1	1	-
River birch	12 2	-	*	29	2	1	1		1	7
Hickory	619 102	1	2	528	42	1	ı	1	1	146
Hackberry	164 27	١	1	1	1	1	ı	1	1	27
Ash	1,245 205	37	80	553	44	1	ı	1	1	257
Butternut		1	1	1	1	1	1		T	*
Black walnut	1,31	1,165	164	1	ı	1	1	1	1	1,475
Sycamore		ı	Ī	86	<u></u>	ı	ı	1	1	10
Cottonwood		1	ı	6,193	489	1	ı	1	1	710
Aspen		1	ī		ı		ī		1	54
Black cherry		203	46	1	ı	1	ı	1	ī	255
Red oak group	14,815 2,637	298	89	926	97	1	ı	1	1	2,781
White oak group		604	138	526	42	1	ī	1	1	1,698
Willow		ı	1	1	1	1	1	1	1	∞
Basswood	2,736 451	1	1	1	ı	1	ı	1	ı	451
Elm	947 156	22	2	758	09	1	1		1	221
Total	48,812 8,638	2,746	526	12,323	974	1	-	1	1	10,137
All species	48,972 8,666	2,746	526	12,791	1,010	1	-	1	1	10,202
			Z Z	RTHWESTERN						
200000000000000000000000000000000000000					-		ľ			
Spoon	*	1	ı						1	*
Bed pine	*	ı	I	ı	1	1	1	1	1	٠
Total	*	1	-	-	1	-	1	1	-	*
Hardwoods										
Soft maple	184 30	1	ı	1	1	1	1	1	I	30
Hard maple	12 2	1	ı		1	1	1	ı	1	2
Hickory		1	ı	ı	1	ı	1	1	1	*
Ash	23 4	1	ı		1	1	1	1	ı	4
Black walnut		1	ı	1	1	1	1	1	1	9
Cottonwood	o,	1	I	1	ı	ı	1	1	ı	66
Black cherry		1	ı	1	1	1	I	1	1	*
Red oak group		1	1		ı	1	I	1	ı	16
White oak group	_	ľ	1		1		ı	1	1	164
Basswood	. u	1	1		ı	1	ı	ı	I	53
EIB :	«	1	I	1	Ī	1	ı	1	I	
Northern catalpa		1	1	-	1	1	1	1	1	
lotal		-	1	1	1	1	1	1	1	344
All species	2,095 344			1	1	ı	1	- 1	1	344
								(Table 4 c	continued on next page	next page)

(Table 4 continued)

(Table 4 collillaeu)				SOI	SOUTHEASTERN						
Species group	Saw logs	s	Veneer	logs	Pulpwood	-	Cooperage	ø	Industrial fuelwood	poomle	All products
	MBF 1	MCF ²	MBF ¹	MCF 2	Cords 3	MCF 2	MBF 1	MCF ²	M pieces	MCF 2	MCF 2
Softwoods											
White pine	7	-	-	1	1	1	1	1	1	I	-
Total	7	-	1	-	1	1	1	1	1	1	-
Hardwoods											
Soft maple	8,894	1,465	က	-	336	27	1	I	1	1	1,492
Hard maple	312	51	62	14	32	က		ı	1	1	89
River birch	26	4	-	*	104	80	ı	j	1	1	13
Hickory	663	109	1	I	63	2	ı	1	1	ı	114
Hackberry	331	54	ı	ı	1	ı	1	1	ı	1	54
Ash	922	152	9	-	307	24		1	1	1	177
Black walnut	1,862	408	577	81	1	1	1	1	1	1	489
Sycamore	553	91	ı	1	1	ı	1	1	1	1	91
Cottonwood	7,067	666	1	1	1,158	91	1	'	1	1	1,091
Black cherry	137	22	34	ω	14	-	1	1	1	î	31
Red oak group	6,252	1,113	2	_	1,221	96	1	1	1	1	1,211
White oak group	7,516	1,338	171	39	287	46	433	71	I	1	1,495
Basswood	431	71	1	ı	92	9	1	ı	1	ī	77
Elm	252	41	-	*	113	6		1	1	1	51
Total	35,217	5,920	860	146	4,012	317	433	71		1	6,454
All species	35,224	5,921	860	146	4,012	317	433	71	1	1	6,455
				100	SOUTHWESTERN						
Hardwoods		r									
Soft maple	614	101	ı	1	ı	1	ı	1	ı	1	101
Ash .	∞	-	1	1	1	1	1	1	20	-	က
Black walnut	1,382	302	1	1		1		1	1	1	302
Cottonwood	345	49	1	1	,	1	1	'		1	49
White oak group	*	*	_	1	1		_	_	23	2	2
Total	2,349	454	1	_	1	-	1	1	43	3	457
All species	2,349	454	1	-	-	-	1	_	43	3	457

Less than 1/2 unit of measure.
 Thousand board feet, International 1/4-inch rule.
 Thousand cubic feet.
 Standard cords are 128 cubic feet, consisting of 79 cubic feet of wood and 49 cubic feet of bark and air space.

Table 5 --Industrial roundwood production by Forest Survey Unit, county, and species group, Iowa, 2000

(In thousand cubic feet)

	4	ASI	26	က	2	5	-	S	9	9	43	1	25	61	16	80	5	2	ო	13	9	9	-	4	80	257		-	1	2	*	1	1	1	4	(Table 5 continued on next page)
ı	Hackbarry	iacabelly	က	*	ı	*	1	*	8	-	0	1	*	9	က	2	*	1	1	*	*	-	1	-	-	27		1	1	1	1	1	1	1	1	on politica on
	Hickory		21	ı	ı	-	*	*	က	*	19	*	7	65	∞	*	*	4	-	7	7	*		-	2	146		*	1	1	1	1	1	1	*	/Toblo E
Hardwoods	River		*	ı	l	1	ı	ı	*	ı	*	*	*	9	1	ı	1	*	ı	1	I	ı	ı	1	*	7		1	1	1	1	1	1	1	1	
Ĭ	Paper		-	١	1	1	ı	ı	١	ı	1	1	į	1	1	ı	1	1	1	1	1	1		ı	1	-		1	1	1	1	1	1	1	1	
	Hard	illaple	147	1	-	#x	1	*	က	-	283	1	109	169	71	2	-	25	ı	81	49	-	*	1	15	957		1	1	1	1	1	0	ı	2	
	Soft		22	205	18	12	ω	*	27	*	4	52	6	191	2	2	*	61	1	96	4	-	1	360	-	1,079		7	1	20	1	1	-	2	30	
	Total		*	4	1	+	ı	*	ı	*	*	1	37	ı	24	+<	*	ı	1	1	1	*	1	ı	*	65		ι	1	ı	*	ı	ı	1	*	
	White		*	4	1	*	ı	*	ı	*	*	1	1	1	24	*	×	1	1	1	1	*	1	1	*	28		1	1	1	ı	ı	1	1	1	
ds	Red	בוומ	1	1	1	ı	ı	1	ı	1	1	1	13	1	ı	ı	ı	1	1	1	ı	1	1	ı	ı	13		ι	1	1	+x	1	1	1	*	
Softwoods	Jack		ı	1	1	1	1	ł	ı	1	1	1	24	1	1	1	ı	ı	1	1	1	1	1	1	1	24		1	1	1	ı	1	1	1	-	
	901140	aprido	ı	1	ı	ı	1	ı	ı	1	ı	1	1	1	ı	ı	ı	1	1	ı	1	1	1	ı	1	-		ı	ı	ı	*	1	1	1	*	
	All	phecies	1,643	245	32	59	15	47	166	62	1,481	100	842	2,320	598	111	48	541	92	902	273	113	21	426	275	10,202		40	0	73	2	49	158	10	344	
	Forest Survey Unit	ern	Allamakee	Benton	Black Hawk	Bremer	Buchanan	Butler	Cedar	Chickasaw	Clayton	Clinton	Delaware	Dubuque	Fayette	Floyd	Howard	Jackson	Johnson	Jones	Linn	Mitchell	Scott	Tama	Winneshiek	Total	Northwestern	Clay	Hancock	Kossuth	Lyon	Plymouth	Winnebago	Worth	Total	

	g
	nue
	conti
ı	20
	aple
Į	Ë

Table 3 confinged			op o om Hoo	0.7									
Forest Survey Unit	AII		Jack	Red	White	Total	Soft	Hard		River			
and county	species	Spruce	pine	pine	pine soft	spoom	maple	maple	birch	birch	Hickory Hackberry	ackberry	Ash
Southeastern	1						G				,		(
Appanoose	2/3	1	ı	1	1	ı	000	ן ע	I	ı	- *	ı	N T
Boone	- 4	-	ı	ı	1	-	N 5	n	٠	ı			
Claire	91	l I	1 1		1 1	1 1	- -		1 1	1 1	1 1	1 1	- *
Davie	000		-	1	1	-	128	1	1	•	,		T
Decatur	3 5	1	ı	1	ı	1) o	1	ı	*		ı	
Des Moines	376	-	1	-	1	1	7.1	8	1	ო	11	က	18
Hardin	200	1	1	1	I	1	206	6	ı	1	*	4	71
Henry	272	ı	1	1	I	I	24	2	1	_	80	*	တ
lowa	178	1	1	1	*	*	55	1	1	*	က	က	ო
Jasper	129	1	ı	I	1	1	92	1	1	1	1	1	1
Jefferson	394	1	1	1	1	1	48	1	1	-	11	9	1
Keokuk	445	1	ı	I	*	*	98	1	1	-	-	0	4
Lee	581	1	1	1	ı	1	125	က	1	2	1	က	20
Louisa	171	1	1	1	1	1	14	14	ı	*	2	*	S
Lucas	63	1	1	1	ı	1	20	1	1	ı	1	1	Ø
Madison	13	1	1	1	ı	I	*	-	1	1	1	1	1
Mahaska	422	ı	I	1	1	1	93	1	ı	-	11	O	ß
Marion	19	1	1	I	1	ı	17	ı	ı	I	ı	1	*
Marshall	က	1	1	1	1	1	1	-	1	1	1	1	*
Monroe	178	1	1	1	1	1	14	1	1	1	1	1	Ŋ
Muscatine	79	1	1	1	1	1	11	Ø	ı	*	2	*	ო
Połk	*	1	1	1	1	ı	I	1	1	1	1	1	1
Poweshiek	51	1	1	1	*	*	4	*	1	*	*	*	-
Van Buren	334	1	1	1	ı	ı	92	-	1	-	7	*	80
Wapello	479	ı	ı	I	-	1	62	1	ı	-	ω	9	က
Warren	172	1	ı	ı	1	ı	102	ı	ı	1	1	1	1
Washington	734	1	1	1	*	*	85	30	1	-	20	12	17
Wayne	20	1	1	ı	1	1	11	1	1	1	1	1	*
Webster	36	1	1	1	1	1	5	1	1	1	*	-	*
Total	6,455	1	1	1	1	1	1,492	68	1	13	114	54	177
Southwestern													
Adair	4	1	1	1	ı	1	2	1	1	1	ı	1	*
Cass	34	1	1	1	1	1	1	1	ı	ı	1	1	1
Fremont	88	ı	ı	ı	I	I	43	1	1	1	1	1	1
Harrison	34		1	I	I	1	l	1	ı	ı		ı	ı
Mills	37	1	ı	ľ	1	ı	I	ı	1	1	ı	1	-
Montgomery	34	1	l	ı	1	1	1	1	1	ı	ł		1
Page	88	1	1	1	1	ı	43	1	1	ı	1	1	1
Pottawattamie	34		1	1	1	I	1	1	1	1	1	ı	1
Ringgold	21	I	I	ı		1	14	I	ı	I)	ı	1	-
Shelby	34	1	ı	ı	1	ı	1	1	ı	1	ı	1	1
Taylor	7	1	ı	I	I	1	ı	1	I	1	ı	1	1
Woodbury	49	1	1	1	I	1	1	-	1	1	ı	1	1
	457	1	1	1	1	-	101	1	1	1	1	1	က
State total	17,457	*	24	13	29	99	2,702	1,028	-	20	261	81	441
23											(Table 5 cc	continued on next	t page)

	7		
	(1	֡
	1		
	1		
	(
	(1	j
	3	Č	
ı		1	
	,		

rable o cominued	(0)					1	Hardwoods		ı		ı		
Egreet Survey Heit	112.14	40010				70010	חסק סטק	White ook				No. th O. th	
and county	Butternut	walnut	Sycamore	wood	Aspen	cherry	group	wille bak	Willow	Willow Basswood	EIR		hardwoods
Northeastern													
Allamakee	*	322	*	29	21	32	594	332	2	62	26	1	1,643
Benton	ı	13	-	*	ı	2	9	15	1	*	1	1	245
Black Hawk	1	က	1	I	ı	ı	*	2	1	က	*	ı	32
Bremer	1	I	*	∞	1	*	2	25	1	က	*	ı	59
Buchanan	1	-	1	1	1	1	က	2	ı	*	*	1	15
Butler	1	1	*	80	1	ı	S	25	1	က	*	1	46
Cedar	1	34	*	18	1	വ	48	15	1	4	-	1	166
Chickasaw	1	I	*	10	1	1	7	32	1	က	-	ı	62
Clayton	1	110	*	22	7	24	510	333	-	95	27	ı	1,481
Clinton	1	7	1	1	1	16	13	12	1	-	*	1	100
Delaware	1	175	1		2	6	288	107	1	44	25	1	805
Dubuque	1	269	∞	487	10	101	537	241	1	06	79	ı	2,320
Fayette	1	19	*	22		4	253	132	-	26	15	1	574
Floyd	1	-	*	11	1	*	12	64	1	4	2	1	111
Howard	1	-	•	80		1	2	25		က	*	1	47
Jackson	1	185	1	1	9	23	121	86	1	23	က	1	541
Johnson	1	37	1	1	1	က	18	9	1	7	-	1	92
Jones	ı	207	ı	6	ı	വ	164	29	1	45	50	ı	902
Linn	1	47	ı	ı	1	4	06	38	ı	17	11	ı	273
Mitchell	I	2	*	28	1	1	9	32	ı	4	-	1	113
Scott	1	*	1	1	1	12	6	*	1	1	1	i	21
Tama	I	15	1	9	1	2	14	17	1	9	-	1	426
Winneshiek	1	27	*	15	3	12		101	1	1-	4	1	275
Total	*	1,475	10	710	54	255	2,781	1,697	8	451	221	1	10,137
Northwestern													
Clay	1	က	1	ı	1	*	16	*	1	13	*	1	40
Hancock	I	I	I	I	ı	I	1	6	I	1	I	ı	6
Kossuth	1	-	1	43	1	1	1	1	1	7	1	ı	73
Lyon	1	_	1	က	1	1	1	1	1	1	*	*	2
Plymouth	1	1	ľ	49	1	1	1	1	ľ	1	ı	ı	49
Winnebago	ı	-	1	I	1	ı	1	153	ı	2	ı	ı	158
Worth		2	1	4	ľ	ľ	1	2	ı	1	1	1	10
Total	1	9	1	66	1	*	16	164	1	23	*	4	344
											(Table 5	(Table 5 continued on next page	next page)

black ity Butternut walnut stern ose	Sycamore	Cotton- wood 49	Aspen	Black	Red oak V group	White oak group	Willow Bas	Basswood	EIB	Northern catalpa ha	Total ardwoods
	11110101-01-0	49									
	11110101-016	49									
on sines	1110101-015	1 1	1	I	45	72	1	Ø	1	1	273
on s == 0	110101-01-		1	7	26	49	1	20	-	1	111
oines con	10191-915		1	1	ı	I	1	I	ı	ı	16
ur Moines Son Son Ska all	0 1 4 1 - 4 1 6	92	1	ı	1	1	1	1	1	1	77
on n n n n n n n n n n n n n n n n n n	1 9 1 - 9 1 5	40	1	I	51	20	1	*	1	1	299
on and a second on	91-915	1	1	ო	က	-	1	1	1	ı	31
uo u	1 - 0 1 5	62	ı	_	94	75	1	က	4	1	376
uo	- 2 1 2	171	1	1	80	13	1	*	18	1	500
uo u	2 - 1	44	1	1	47	06	1	2	-	1	272
uo u u u u u u u u u u u u u u u u u u	12	34	1	-	20	18	1	l .x	· m	1	178
	12	I	ı	I	7.	20	1	ı	1	1	129
	!	18	,	1	9.6	101	1	1	1	ı	394
	13	- 90		*	0	00		*	c		000
	<u> </u>	0 0		u	000	200		И	J v		7 0
	o -) u		ן כ	+ a	2 0	1) T	7		121
		o c			2 5	9 6		- ,	t	I	
		0		1	7 0	0			1		503
	1 5	1 7	ı	1	ν ;	1 6	1		1 '	ı	13
1 1	13	96		ı	94	66	1	*	N	ı	422
		1	1	I	ı	ı	1	_	1	1	19
	ı	1	1	ı	-	*	1	*	1	1	က
Moritoe - 13	1	12	1	*	42	91		2	*	-	178
Muscatine – 11	-	1	1	1	21	25	1	-	1	1	79
Pok	1	1	1	*	1	1	ı	ı	1	-	*
Poweshiek - 14	*	7	1	က	က	14	1	က	*	1	50
Van Buren – 18	7	43	ı	က	61	86	1	4	*	ı	334
Wapello – 2	12	61	1	က	123	197	1	-	ı	ı	479
1	1	ı	1	1	2	61	1	1	ı	1	172
Washington – 79	13	97	1	11	177	157	1	24	11	1	734
1	1	1	1	1	က	1	1	-	-	1	20
	1	1	1	1	2	17	1	4	*	1	36
Total – 489	91	1,091	1	31	1,211	1,495	1	77	51	1	6,454
Southwestern											
Adair – 2	1	1	1	I	ı	I	ı	ı	1	-	4
Cass - 34	1	1	1	1	1	1	1	1	ı	1	34
Fremont – 45	1	1	1	1	1	I	1	ı	ı	ı	88
Harrison - 34	1	+ x	1	1	1	*	1	ı	1	1	34
ı	1	1	1	ı	1	-	1	ı	1	1	37
Montgomery – 34	1	1	1	1	1	1	1	1	ı	ı	34
ı	1	1	1	1	1	1	1	1	1	1	88
Pottawattamie – 34	1	1	1	1	1	ı	1	ı	1	ı	34
Ringgold – 6	1	1	1	1	1	1	1	1	ı	1	21
ı	1	1	1	1	1	1	1	I	1	1	34
Taylor – 2	1	1	1	1	1	1	1	ı	1	ı	2
Woodbury	1	49	1	1	1	I	1	1	ı	ı	49
Total - 302	1	49	1	1	1	2	-	1	1	1	457
State total * 2,272	101	1,948	54	286	4,007	3,358	ω	550	272	*	17,391

Table 6.--Industrial roundwood production by species group and destination, lowa, 2000

(In thousand cubic feet)

	l				١	č	Destination					
Species aroup	Total	Illinois	Indiana	lowa	wa Michigan Minnesota	innesota	Missouri	Missouri Nebraska	South	Wisconsin	Othio countries	Other
Softwoods												
Spruce	*	1	ı	1	1	1	•	1	*	,	ı	1
Jack pine	24	1	1	1	1	ı	ı	ı	ı	24	ı	1
Red pine	13	ı	ı	1	ı	ı	1	ı	*	13	1	1
White pine	29	ı	ı	29		ı	ı	ı	ı	1	ı	1
Total	99		1	29	-	-	1	1	*	37	1	1
Hardwoods												
Soft maple	2,702	က	-	2,397		ı	274	I	ı	27	1	1
Hard maple	1,028	15	34	701	29	10	ı	1	I	207	ო	28
Paper birch	-	1	1	ı	1	1	:	1	I	-	ı	1
River birch	20	ı	1	20	ı	ı	ı	I	1	1	1	1
Hickory	261	ı	2	244	1	4	ı	1	1	10	ı	1
Hackberry	81	1	ı	80	ı	:	:	1	1	2	ı	1
Ash	441	က	7	387	1	ı	15	-	*	25	ı	-
Butternut	*	ı	ı	ı	1	1	1	ı	1	*	ı	80
Black walnut	2,272	64	53	1,912	-	-	94	2	-	20	13	1
Sycamore	101	1	1	82	-	1	19	1	1	1	ı	1
Cottonwood	1,948	-	1	1,729	1	1	89	146	က	*	ı	1
Aspen	54	1	ı	18	1	1	1	1	1	36	ı	1
Black cherry	286	9	50	207	4	ı	ı	1	1	19	ı	1
Red oak group	4,007	77	34	2,995	14	78	124	1	1	682	ı	က
White oak group	3,358	42	103	2,756	2	45	106	2	1	255	-	42
Willow	ω	1	1	∞	1	1	1	ı	1	1	ı	1
Basswood	550	1	1	431	1	13	1	1	ı	106	ı	1
Elm	272	-	-	241	1	က	1	1	*	23	7	-
Northern catalpa	*	1	1	1		1	1	ı	*	1	ı	1
Total	17,391	212	285	14,209	53	154	701	152	5	1,445	19	155
All species	17,457	212	285	14,238	53	154	701	152	5	1,482	19	155
* Less than 500 cubic feet.												

Table 7.--Saw log receipts by species group, Iowa, 1994 and 2000

(In thousand board feet)1

Species group	1994	2000	Change 1994-2000
Softwoods			
Eastern redcedar	37		-37
Red pine	7	ı	2-
White pine	58	167	109
Total	102	167	65
Hardwoods			
Soft maple	15,486	20,063	4,577
Hard maple	4,330	4,764	434
River birch	100	38	-62
Hickory	1,601	1,646	45
Pecan	1	28	28
Hackberry	1,121	209	-514
Ash	2,842	2,668	-174
Honeylocust	30	,	-30
Butternut	25	1	-25
Black walnut	6,734	9,043	2,309
Sycamore	316	627	311
Cottonwood	16,919	11,664	-5,255
Aspen	548	229	-319
Black cherry	642	1,636	994
Red oak group	23,761	20,353	-3,408
White oak group	16,698	17,802	1,104
Black locust	18	1	-18
Willow	194	145	-49
Basswood	5,038	3,536	-1,502
Elm	1,724	1,150	-574
Other hardwoods	14	-	-14
Total	98,139	95,998	-2,141
All species	98,241	96,165	-2,076
International 1/4-inch rule.			

Table 8.--Saw log production by species group and destination, Iowa, 2000

(In thousand board feet)1

	ľ			Des	Destination			
Species group	Total	Illinois	lowa Minnesota		Missouri	Nebraska	Dakota Wi	Wisconsin
Softwoods								
Spruce	*	1		ı	ı	1	×	ı
Red pine	*	1	1	ı	ı	ı	*	1
White pine	167	1	167	ı	ı	ı	ı	1
Total	167	1	167	1.		1	*	1
Hardwoods								
Soft maple	15,069	17	13,220	ı	1,666	I	ı	166
Hard maple	5,476	13	4,144	61	I	1	1	1,258
Paper birch	6	1	1	ı	ı	1	ı	6
River birch	38	1	38	1	ı	1	I	ı
Hickory	1,283	ı	1,198	26	ı	1	ı	59
Hackberry	495	ı	485	ı	ı	1	ı	10
Ash	2,197	13	1,936	1	91	I	2	154
Butternut	2	1	1	1	ı	1	1	2
Black walnut	9,259	159	8,425	ı	431	1	4	230
Sycamore	568	1	454	ı	114	1	1	1
Cottonwood	9,673	ω	8,124	ı	481	1,035	23	-
Aspen	330	1	109	ı	ı	1	1	220
Black cherry	1,403	36	1,249	ı	1	ı	ı	118
Red oak group	21,155	433		438	269	1	ı	3,727
White oak group	16,963	165	14,916	254	195	*	ı	1,432
Willow	47	1	47	1	ı	ı	ı	1
Basswood	3,303	í	2,580	79	ı	ı	Ĭ	645
Elm	1,201	4	1,040	18	I	ı	*	138
Northern Catalpa	-	I	1	1	1	ı	-	ı
Total	88,471	849	73,824	876	3,675	1,046	30	8,171
All species	88,639	849	73,991	876	3,675	1,046	31	8,171
* I acc than 500 hoard foot								

^{*} Less than 500 board feet.
' International 1/4-inch rule.

Table 9.--Saw log production by Forest Survey Unit, county, and species group, Iowa, 2000

(In thousand board feet)1

	Ash Butternut		2	1	ı	1	•	1	1	1	1	1	1	1	ı	1	1	1	ľ	1	1	1		I	1	2		1	I	١	1	1	1	1	1	ext page)
	Ash B		149	17	29	29	2	28	35	33	254	2	98	203	81	47	28	26	18	36	36	34	က	25	42	1,245		7	I	13	2	1	ı	1	23	(Table 9 continued on next page)
	Hackberry		20	-	ı	က	1	က	14	80	14	1	က	39	19	14	က	1	1	က	က	80	1	4	7	164		ı	1	١	1	ı	1	1	1	(Table 9 co
spoc	Hickory		126	ı	1	က	*	-	15	-	107	-	41	144	20	-	-	21	9	42	40	-	1	2	12	619		_	1		1	ı	ı	1	1	
Hardwoods	River birch		1	I	ı	1	1	1	က	1	1	1	1	o	1	1	1	1	i	1	1	1	1	1	1	12		1	I	1	1	I	1	ı	1	
	Paper birch		တ	ı	,	I	1	1	1	1	1	1	I	1	1	1	1	1	1	ı	1	1	1	ı	1	6		,	ı	1	1	1	1	1	-	
	Hard maple		768	ı	80	-	1	-	က	4	1,492	1	641	927	358	10	က	136	1	465	295	2	*	1	35	5,152			ı		1	1	12	ı	12	
	Soft maple		134	1,246	109	72	46	က	166	က	27	313	1	102	တ	29	က	370	1	522	26	80	1	2,182	9	5,377		41	1	124	1		2	14	184	
	Total softwoods		-	ı	ı	က	1	က	1	က	-	1	1	1	139	က	က	1	i	ı	I	က	ı	1	1	160			ı	ı	*	ı	ı	1	*	
	White pine		-	ı	1	က	1	က		က	-	1	ı	1	139	က	က	1	1	ı	ı	က	1	ı	1	160		1	1	1	1	1	ı	1	1	
Softwoods	Red pine		1	ı	1	1	1	ı	ı	1	I	1	1	1	1	1	ı	1		1	ı	1	ı	1	1	ı		ı	ı	1	*	ı	1	1	-k	
Sof	Spruce		I	1	ı	1	I	1		1	1	1	1	1	1	1	I	1	1	ı	I	1	I	1	1	1		1	1	1	*	1	1	1	*	
	AII species		8,271	1,459	190	352	87	279	912	368	7,668	548	4,183	7,703	3,282	650	284	2,574	395	3,618	1,501	727	126	2,557	1,238	48,972		231	48	485	31	345	892	62	2,095	
	Forest Survey Unit and county	Northeastern	Allamakee	Benton	Black Hawk	Bremer	Buchanan	Butler	Cedar	Chickasaw	Clayton	Clinton	Delaware	Dubuque	Fayette	Floyd	Howard	Jackson	Johnson	Jones	Linn	Mitchell	Scott	Tama	Winneshiek	Total	Northwestern	Clay	Hancock	Kossuth	Lyon	Plymouth	Winnebago	Worth	Total	

	ı
	ı
(F	
Juec	ı
conti	
90	ı
able	ı
Ta	ı

		Sof	Softwoods						Hardwoods	spoo			
Forest Survey Unit	All		Red	White	Total	Soft	Hard	Paper hirch	River	Hickory	Hackberry	Ach Buttern	* 11 4
	Salas	205140					oldanı				inchacil y		10110
Appanonse	1 644	1	ı	1	•	584	1	ı	1	A	ı	11	1
Boone	631	,		1	ı	- 41	32	ı	1	-	1	_ m	1
Clarke	95	1	1	1	1	83	1	1	1	1	1	9 9	1
Dallas	545	1	1	I	I	4	1	1	1	1	1	-	1
Davis	1,796	1	1	1	ì	775	1	1	1	7	1	4	1
Decatur	91	1	1	1	1	55	1	1	1	1	1	4	1
Des Moines	1,374	ı	1	1	1	379	9	1	I	57	19	56	1
Hardin	3,198	1	1	1	1	1,253	54	ı	1	က	22	433	1
Henry	1,168	1	1	ı	-	121	10	1	1	40	-	42	1
fowa	1,043	1	1	-	-	331	1	1	-	21	18	20	1
Jasper	767		1	1	-	559	1	1	1	1	1	1	1
Jefferson	2,330	1	1	1	1	294	1	1	4	99	35	1	1
Keokuk	2.663	-	1	-	-	522	1	1	7	69	54	23	ı
Lee	2.607	1	1	1	1	703	G	1	1	22.8	18	28	1
Louisa	536	1	1	ı	I	69	. C	ı	ı	28		9 -	ı
Securi	373		ı	ı		124) 1	1	1	? 1		0 0	
Madison	0 0					t c	4					2	i
Makalisoli	0 0		1	1	1	2 (D	I	1 3	1 6	1 6	1 6	1
Manaska	692,7	1	1	1		996	1	1	4	99	25	32	ı
Manon	116		ı	ı	1	104	ı	I	ı	1	ı	က	I
Marshall	12	1	I	1	1	1	*	1	1	1	1	-	ı
Monroe	1,007	1	I	1	1	83	1	ı	ı	1	1	10	1
Muscatine	401	1	I	1	1	69	9	1	1	28	-	16	ı
Poik	_	1	1	1	-	1	1	1	1	1	1	1	1
Poweshiek	157		1	က	က	26	-	1	1	2	-	5	1
Van Buren	1,619	1	ı	I	1	564	4	1	ı	44	-	42	1
Wapello	2,821	1	I	1	1	376	1	1	4	48	35	21	1
Warren	1,004	1	1	1	1	618	1	1	1	1	1	ì	1
Washington	4,280		1	-	-	515	182	1	9	119	72	103	1
Wayne	113	1	1	1	1	69	1	1	1	1	1	က	1
Webster	201	1	I	1	1	32	1	1	1	-	1	-	1
Total	35,224	-	1	7	7	8,894	312	1	26	663	331	922	1
Southwestern													
Adair	22	1	I	I	I	14	1	1	I	I	ı	-	ı
Cass	153	ı	I	1	1	i	ı	I	I	ı	ı	ı	
Fremont	466	1	I	ı	1	259	1	1	1	1	ı	ı	1
Harrison	156	1	I	1	1	1	1	1	1	1	I	ı	1
Mills	155	1	I	1	I	1	1	1	I	ı	1	ı	ì
Montgomery	153		1	1	1	1	1	1	1	1	1		1
Page	465	1	I	1	I	258	1	1	1	1	ı	ı	1
Pottawattamie	153	1	1	1	1	I	1	I	1	1	I	ı	1
Ringgold	117	1	1	ı	ı	83	1	1	ı	-	-	7	1
Shelby	153	1	1	1	1	I	1	1	1	1	1	1	1
Taylor	10	-	1	1	1	1	1	1	1	1	-	1	1
Woodbury	345	1	1	1	1	1	1	1	1	1	-	1	1
Totai	2,349	-	1	1	1	614	I	1	I	1	1	8	Т
State total	88,639	*	*	167	167	15,069	5,476	6	38	1,283	495	2,197	2
											(Table 9 con	(Table 9 continued on next page)	page)

(Table 9 continued)

				Ĭ	Hardwoods						
Forest Survey Unit	Black	Cotton-	2000	Black		White oak	Willow Ba	Po como o a	<u> </u>	Northern	Total
Northeastern		500	Tades	cilei y	g a c	g no la		DOMES		catalpa IId	spooms
Allamakee	1,259	205	128	92	3,257	1,565	28	375	151	1	8,269
Benton	- 09	က	1	14	33	82	ı	2	1	1	1,459
Black Hawk	14	ı	1	1	2	10	ı	18	*	1	190
Bremer	-	55	1	*	29	138	ı	15	က	1	350
Buchanan	l c	I	ı	ı	19	12	1	2	*	1	87
Butler	-	55	1	1	28	138	ı	15	က	ı	276
Cedar	155 1	124	1	29	254	83	1	24	80	ı	912
Chickasaw	-	68	1	1	41	181	ı	17	8	ı	366
Clayton	347 1	153	45	87	2,733	1,669	2	576	158	ı	7,666
Clinton	1	1	1	97	72	58	1	2	-	ı	548
Delaware	- 622	1	32	54	1,583	597	1	270	96	1	4,183
Dubuque	1,164	20	63	585	2,563	1,128	1	544	213	1	7,703
Fayette	59 1	153	80	25	1,388	740	2	155	90	ı	3,142
Floyd	6	77	1	က	99	357	ı	22	14	ı	647
Howard	3	55	ı	ı	28	138	ı	15	က	1	281
Jackson	734 –	1	38	95	671	324	ı	142	17	I	2,574
Johnson	169	1	I	20	103	33	1	41	9	1	395
Jones	926	28	1	28	905	329	1	271	89	ı	3,618
Linn	193 –	1	ı	23	503	212	1	102	68	1	1,501
Mitchell	9	413	1	1	34	178	1	23	∞	1	724
Scott	*	1	1	73	48	0	1	1	1	1	126
Tama	- 02	44	1	14	92	93	1	37	7	1	2,557
Winneshiek	35 1	109	16	28	384	463	6	64	26	1	1,237
Total	5,987 15	1,562	330	1,267	14,815	8,528	47	2,736	947	П	48,812
Northwestern											
Clay	1	1	1	*	88	*	1	80	2	ı	231
Hancock	1	1	1	ı	1	48	1	1	1	1	48
Kossuth	ا ھ	304	ı	ı	1	1	ı	42	ı	1	485
Lyon	4	23	I	1	1	1	1	1	- x	-	30
Plymouth	1	345	1	1	1	1	1	1	1	1	345
Winnebago	ا ش	I	1	ı	ı	857	ı	15	1	1	892
Worth		28	1	ı	1	14	1	I	ı	1	62
Total	- 28	669	1	*	88	919	1	137	2	-	2,094
									(Table 9	(Table 9 continued on next page)	next page)

(Table 9 confined on field pa

(Table 9 continued)

"	Rlack		- uctton-		Riack	Hardwoods	White cak				No.	- - -
walnut Sycamore	ycam	ore	poom	Aspen	cherry	= =	group	Willow B	Basswood	EIB	catalpa h	ardwoods
28		1	348	1	1	254	404	ı	=======================================		1	1,644
- 17			1	1	1	146	277	ı	123		1	631
		1	ı	ı	1	ı	ı	t	10		1	98
	C	1 5	538	1	1	1 6	1 6	ı	1 (1	1	545
	מ	22	797	I	ı	582	393	ı	ro.		I	1,796
— т 4 п		1]	1 00	1	ı	2 0	1 8	1	1 9		1	רט מ
<u>c</u>		=	300	I	ı	223	122	ı	χ ,	Ì	ı	1,3/4
ı [1 ,	012,1	1	١	45	۲/	ı	- 0		1	3,198
		4	183	ı	1	224	333	I	8		ı	1,168
166 11	-		242	ı	က	110	101		Ø		I	1,041
	I		1	1	1	83	124	ı	1		ı	767
	72		575	1	1	529	009	ı	1		ı	2,330
155 81	81		929	1	-	506	553	ı	_		ı	2,661
	51		400	1	28	662	275	ı	80		ı	2,607
	4		1	ı	ŀ	66	135	ı	0 00		ı	536
	. 1		55	ı	ı	99	104		7		ı	373
ا د د د	1) t	١	1	14	5 1	١			ŀ	0 00
7	79		667	1		527	557	,	- c			2 2 2 2
	2				'	130	100) (1	2,009
1 +	ı		ı	ı	ı	1 0	1 7	1	0 1		1	0 0
- (°	ı		1 6		1 (1 0	- 3		- ;			7 100
	, ,		83	ı	N	23/	116	1	14		I	7,00,1
17 4	4		ı	ı	1	116	135	ı	ω		1	401
	I		ı	ı	-	1	1	1	I		1	-
	က		52	ı	-	15	23	1	18		1	154
	42		271	1	*	342	268	1	21		ı	1,619
8 72	72		435	1	19	069	1,107	ı	7		1	2,821
- 28			1	1	1	14	345	ı	I		ı	1,004
359 81	8	_	684	ı	99	966	883	1	144		1	4,279
21		1	1	ı	ı	15	1	1	9		1	113
24			I	t	1	25	94	1	22		ı	201
1,862 553	55	33	7,067	1	137	6,252	7,516	1:	431	2	1	35,217
ω :		ı	I	I	ı	1	ı	ı	1	ı	ı	22
153		1	1	ı	1	1	ı	ı	I	ı	1	153
207			I	ı	1	ı	1	1	I	I	ı	466
155	'		*	ı	ı	ı	*	1	ı	ı	1	156
155 –	1		1	ı	1	ı	ı	t	t	1	1	155
153 –	1		ı	l	ı	I	I	t	1	1	ı	153
207 -			ı	ı	1	1	1	1	1	1	1	465
153 -			1	1	1	1	1	1	1	1	1	153
		1	1	1	1	1	1	1	1	1	1	117
		1	1	1	1	ı	1	1	1	ı	1	153
10		1	1	1	1	1	1	1	1	1	1	10
1		ı	345	1	1	1	ı	1	1	1	ı	345
1,382		1	345	1	1	1	*	1	1	1	1	2,349
9,259 5	5	568	9,673	330	1,403	21,155	16,963	47	3,303	1,201	-	88,471
Less than 500 board feet.												

* Less than 500 board feet.

† International 1/4-inch rule.

Table 10.--Saw log production by species group, lowa, 1972, 1980, 1988, 1994, and 2000

(In thousand board feet)1

Species group	1972	1980	1988	1994	2000	Change 1994-2000
Softwoods						
Spruce	ı	ı	1	1	*	*
Eastern redcedar		ო	10	37	ı	-37
Red pine	2	ı	4	7	*	7-
White pine	103	ı	4	28	167	109
Total	105	3	18	102	167	65
Hardwoods						
Soft maple	6,474	5,089	5,077	13,889	15,069	1,180
Hard maple	1,568	3,367	3,275	4,721	5,476	755
Paper birch	ı	1	1	1	6	6
River birch	472	152	10	78	38	-40
Hickory	783	447	432	1,158	1,283	125
Hackberry	268	498	284	985	495	-490
Ash	1,649	1,636	1,867	2,491	2,197	-294
Honeylocust	ı	1	1	35	1	-35
Butternut	1	1	1	25	0	-23
Black walnut	2,669	5,025	3,649	5,769	9,259	3,490
Sycamore	1	1	1	248	268	320
Cottonwood	10,774	12,831	14,582	19,644	9,673	-9,971
Aspen	188	305	24	381	330	-51
Black cherry	113	132	252	647	1,403	756
Red oak group	11,079	16,470	21,394	18,235	21,155	2,920
White oak group	6,508	12,118	10,743	14,057	16,963	2,906
Black locust	1	1	ı	48	1	-18
Willow	438	233	7	124	47	77-
Basswood	2,205	2,185	1,724	4,417	3,303	-1,114
Elm	7,808	2,866	1,144	1,684	1,201	-483
Other hardwoods	93	118	83	48	1	-47
Total	53,389	63,472	64,547	88,655	88,471	-184
All species	53,494	63,475	64,565	88,757	88,639	-118

Less than 500 board feet.
 International 1/4-inch rule.

Table 11.--Veneer log production by species group, Iowa, 1972, 1980, 1988, 1994, and 2000

(In thousand board feet)¹

			Survey vear			Change
	1972	1980	1988	1994	2000	1994-2000
Species group	4		111	0	ď	-78
Soft maple	122	24	2/5	-0	ָ ר	
	216	14	1	51	469	418
naid Illaple	2			1	-	_
River birch					11	-
Hickory	I	1			- !	- (
400	+++	57		0	42	40
Asil	1 220	1 795	1 084	902	1,742	840
Black wainut	1,230	00',	.,00	να.	•	-84
Cottonwood	84	23	17	5	1	
Disck chorny	1	1	က	46	237	161
Diack cileily	000	1 132	383	340	303	-37
Hed oak group	076	1, 0	40k	1 165	276	-389
White oak group	5)	7/0	200) i		156
Baccimond	252	84	208	156	1	001-
Dasswood	440	1	∞	18	23	5
	010	1	10	2	1	-5
Other hardwoods	210	0000	0 700	2 848	3.607	759
All species	4,015	3,801	2,700	0,7		

1 International 1/4-inch rule.

Table 12.--Pulpwood production by species group, Iowa, 1994 and 2000

(In standard cords, unpeeled)1

			Change
Species group	1994	2000	1994-2000
Softwoods			
Jack pine	,	306	306
Red pine	1	161	161
Total		468	468
Hardwoods			
Soft maple	1,754	2,781	1,027
Hard maple	146	233	87
River birch	108	171	63
Hickory	372	591	219
Ash	541	860	319
Sycamore	61	98	37
Cottonwood	4,634	7,351	2,717
Black cherry	တ	14	5
Red oak group	1,372	2,176	804
White oak group	702	1,113	411
Basswood	49	92	27
Elm	548	870	322
Total	10,298	16,335	6,037
All species	10,298	16,802	6,504

Standard cords are 128 cubic feet, consisting of 79 cubic feet of wood and 49 cubic feet of bark and air space.

Table 13.--Timber removals for industrial roundwood by species group and source of material, Iowa, 2000'

(In thousand cubic feet)

					Source	Source of material								1
		Growin	Growing stock				Non-g	Non-growing stock	ck					
	Used for products	roducts	Logging	Total		Nsed	Used for products	S		Logging	Total non-	Total wood	Total wood	Total wood
Species group	Sawtimber	Pole- timber	residue (not used)	growing	Limbwood	Sanlings	Cull	Dead No	Dead Nonforest	slash (not used)	growing stock	material	material	material
Softwoods														
Spruce	*	*	*	*	*	1	*	1	1	*	*	*	*	0.1
Jack pine	6.3	17.5	0.3	24.0	1	ł	0.5	1	1	2.1	2.5	24.2	2.4	26.6
Red pine	3.4	9.5	0.2	12.7	*	1	0.2	1	1	1.1	1.4	12.8	1.3	14.1
White pine	28.0	0.3	3.6	31.9	0.5	1	0.2	1	1	16.5	17.3	29.0	20.2	49.2
Total	37.7	26.9	4.1	68.6	0.5	1	6.0	1	-	19.8	21.2	0.99	23.8	89.9
Hardwoods														
Soft maple	1,939.4	156.5	777.8	2,873.8	55.1	7.5	178.0	2.7	363.2	1,771.3	2,377.7	2,702.3	2,549.1	5,251.4
Hard maple	795.7	25.7	290.6	1,112.0	11.7	0.7	61.5	0.2	132.0	645.5	851.6	1,027.5	936.1	1,963.6
Paper birch	1.1	ŧ	0.4	1.5	*	1	0.1	1	0.2	1.0	1.3	1.4	1.5	2.9
River birch	11.1	3.6	2.3	17.0	2.2	0.2	1.9	0.1	6.0	4.9	10.2	20.0	7.2	27.2
Hickory	172.3	30.8	66.5	269.6	8.2	1.8	15.8	9.0	30.9	151.7	209.1	260.5	218.2	478.7
Hackberry	61.8	1.4	25.5	88.7	0.8	1	5.5	1	11.9	57.9	76.2	81.5	83.4	164.8
Ash	313.7	25.3	115.5	454.5	14.1	1.2	31.5	9.0	54.0	259.8	360.2	440.5	375.3	815.8
Butternut	0.3	*	0.1	0.4	*	1	*	1	0.1	0.3	0.3	0.4	0.4	0.7
Black wainut	1,054.8	1	141.7	1,196.5	1	-	867.6		349.9	479.6	1,697.0	2,272.2	621.3	2,893.5
Sycamore	72.2	9.9	29.3	108.1	1.9	0.3	6.5	0.1	13.7	8.99	89.3	101.3	96.1	197.4
Cottonwood	1,378.1	316.8	224.2	1,919.1	179.2	20.8	46.2	7.4	1	702.4	955.9	1,948.5	926.6	2,875.1
Aspen	41.2	6.0	17.0	59.1	9.0	1	3.7	1	7.9	38.6	50.8	54.3	55.6	109.9
Black cherry	230.2	4.0	9.92	310.8	2.6	ı	15.8	*	33.8	166.2	218.4	286.4	242.8	529.2
Red oak group	3,231.5	137.2	796.1	4,164.8	78.9	3.2	480.4	75.7	ı	1,840.0	2,478.2	4,006.9	2,636.2	6,643.0
White oak group	2,757.6	95.4	664.3	3,517.3	55.9	1.7	386.6	60.2	1	1,479.5	1,984.0	3,357.4	2,143.8	5,501.2
Willow	5.9	0.1	2.4	8.4	0.1	1	0.5	1	1.1	5.5	7.2	7.7	7.9	15.7
Basswood	416.7	9.5	170.4	596.5	6.7	1	37.6	*	9.62	387.0	511.0	550.1	557.4	1,107.5
Elm	178.0	32.1	63.2	273.3	11.8	1.8	18.3	0.8	28.9	142.9	204.6	271.7	206.2	477.9
Northern catalpa	a 0.1	*	*	0.1	*	1	*	1	*	0.1	0.1	0.1	0.1	0.5
Total	12,661.8	845.8	3,463.9	16,971.5	429.7	39.3	2,157.4	148.5	1,108.2	8,201.1	12,083.2	17,390.7	11,665.0	29,055.7
All species	12,699.4	872.7	3,468.0	17,040.1	430.3	39.3	2,158.4	148.5	1,108.2	8,220.9	12,104.5	17,456.7	11,688.8	29,145.5
toos than 50 cubic foot	foot													

Less than 50 cubic feet.
 Based on factors obtained from the regional logging utilization studies.

Table 14 --Growing-stock removals from timberland for industrial roundwood by Forest Survey Unit, county, and species group, Iowa, 2000

(In thousand cubic feet)

			Softwoods	de					3	Hardwoods			
# H 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1		700	700	W/hito	10+01	#500	7.01		Divoca			
and county	species	Spruce	pine	pine	wille pine sof	ftwoods	maple	maple	pirch	birch	Hickory	Hackberry	Ash
Northeastern												-	
Allamakee	1,580	1	ı	1	*	*	24	160	0	*	23	4	28
Benton	258	1	ı	1	ı	ı	223	1	1	1	1	*	က
Black Hawk	33	ı	1	1	1	ı	20	-	ı	ı	1	1	Ŋ
Bremer	63	1	1	1	-	-	13	*	1	1	-	*	5
Buchanan	16	1	1	1	1	1	∞	1	1	1	*	1	-
Butler	20	1	1	1	-	-	*	*	1	1	*	*	5
Cedar	157	ı	ı	1	1	ı	30	က	I	*	က	2	9
Chickasaw	99	1	1	1	-	-	*	-	1	1	*	-	9
Clayton	1,531	1	ı	1	*	*	വ	308	I	*	21	2	47
Clinton	107	1	1	1	1	1	56	1	ı	*	*	1	-
Delaware	782	1	24	<u>ლ</u>		37	9	119	ı	*	7	*	23
Dubuque	2,080	1	1	1	1	1	158	179	1	2	59	7	58
Fayette	628	1	ı	1	27	27	0	78	1	1	6	က	17
Floyd	117	1	1	1	-	-	Ŋ	0	1	ı	*	2	∞
Howard	20	ı	1	1	-	-	*	-	1	1	*	*	5
Jackson	481	1	1	1	1	1	99	27	1	*	4	1	2
Johnson	59	1	1	1	ı	ı	1	1	I	ı	-	1	က
Jones	623	1	1	1	1	ı	101	88	ı	ı	∞	*	12
Linn	266	1	ı	1	1	ı	വ	53	ı	1	7	*	9
Mitchell	120	1	1	1	-	-	-	-	1	1	*	-	9
Scott	23	1	1	1	1	1	1	*	1	1	1	1	-
Tama	454	1	1	1	1	1	391	1	1	1	-	-	4
Winneshiek	286	1	1	I	*	*	1	16	1	*	2	1	8
Total	9,831		24	13	31	29	1,117	1,037	2	9	147	29	265
Northwestern													
Clay	41	1	1	1	1	1	7	ı	1	:	*	1	-
Hancock	တ	1	1	1	i	ł	1	1	1	ı	1	1	1
Kossuth	78	1	ı	1	1	ı	22	1	ı	ı	I	1	2
Lyon	2	*	ı	*	ı	*	1	1	I	1	1	1	*
Plymouth	52	1	ı	ı	1	1	1	1	1	1	1	1	1
Winnebago	167	1	1	1	1	1	-	0	1	1	1	1	1
Worth	10	I	1	1	1	1	2	1	1	1	1	1	1
Total	362	*	1	*	. 1	*	33	2	1	1	*		4
											(Table 14 c	(Table 14 continued on next page)	t page)

(Table 14 continued)

			Softwoods	ods						Hardwoods			
Forest Survey Unit	All	9	Jack	Red	White	Total	Soft	Hard	Paper	River			
Southoastorn	abacia	222		bille bille	i de la companya de l	2000	iiiapie	illapie			TICKOLY	паскрепу	E S
Approprie	288		ı	1	ı		1 0				T		C
Appailoose	7 7 7	•	I	l	•	•	000	l	1	I	- *		V
Boorle	2 1		1	ı			י מ	٥	1	ı		ı	-
Clarke	/ [ı	ı	1	1	ı	- 15 - 1	ı	ı	ı	1	ı	- ,
Dallas	83	1	I	ı	ı	t	- !	l	ı	ı	ı	ı	×
Davis	319	ı	ı	I	1	ı	139	I	1	1	-	1	·-
Decatur	31	ı	ı	ı	1	1	10	ı	I	*	I	1	-
Des Moines	355	I	I	I	ı	ı	74	2	I	7	=	က	17
Hardin	540	1	1	1	1	1	225	10	ı	1	*	4	78
Henry	248	I	I	1	Î	ı	25	2	ı	-	80	*	6
lowa	170	1	1	1	*	*	59	l	I	*	4	က	4
Jasper	139	ı	ı	ı	ı	ı	100	1	I	ı	1	1	1
Jefferson	399	1	1	1	1	1	53	1	ı	-	12	9	1
Keokuk	456	1	ı	1	*	*	94	1	I	-	12	10	4
Lee	538	ı	I	ı	ı	ı	133	8	ı	. 2	12		18
Louisa	152	1	ŀ	1	1	ı	14	15	ı	*	വ	*	2
Lucas	99	1	1	1	1	1	22	1	ı	ı	1	ı	8
Madison	ω	1	ı	ı	ı	1	*	-	ı	ı	1	,	1
Mahaska	451	1	ı	ı	I	t	102	. 1	ı	-	12	6	9
Marion	20	1	ŀ	I	I	ı	5	I	I	. 1	!) I	*
Marshall	(m	1	ı	I	ı	ı	. 1	-	ı	ı	1	ı	*k
Monroe	179	ı	I	I	ı	1	7.	. 1	ı	ı	ı	ı	0
Muscatine	81	ı	ı	1	î	l	12	2	ı	*	Ŋ	*	၊က
Polk	*	ı	ı	ŀ	ŀ	1	ı	I	ı	ı	I	ı	
Poweshiek	53	ı	1	ı	-	-	ıc.	*	ı	*	*	*	-
Van Buren	348	ı	ı	ı	. 1	. 1	103	-	1	-	α	*	- α
Wanello	50.5 80.5	'	1	ı	ı	ı	67	٠ ١	ı		σ	Œ) 4
Carrey	181	1	I	ı	I	I	111	ı	ı	- 1) I) I	. [
Washington	737		ı	ı	*	*	0.0	C, C,	1	-	21	1.2	σ
Wayne	5	1	I	ı	1	ı	1 0) I	1	- 1	1	2 1	2 *
Mohotor	- C						1 0				*		*
Total	200 200 200 200 200 200 200 200 200 200				I +	I +	1 614	7.3	ı	1 ++	100	I G	187
l Olai		-		I		-	1,014	0/	1	-	77	80	104
Southwestern	,												Ì
Adaır	m (I	ı	I	I	I	2	I	ı	ı	I	ı	k
Cass	16	I	ı	1	ı	ı	I	I	ı	ı	I	ı	ı
Fremont	89	ı	I	I	I	I	47	I	ı	l	I	ı	l
Harrison	16	1	ı	ı	ı	1	1	1	ı	1	ı	1	ı
Mills	18	ı	ı	I	ı	I	ı	ı	I	I	ı	1	-
Montgomery	16	1	ı	I	ı	ı	ı	ı	I	I	ı	I	ı
Page	89	I	ı	1	1	1	46	1	1	ı	ı	ı	l
Pottawattamie	16	I	ı	1	I	l	I	1	ı	1	I	1	ı
Ringgold	19	I	ı	I	I	I	15	I	I	ı	I	ı	-
Shelby	16	1	l	I	ı	I	ı	I	1	ı	I	I	1
Taylor	-	ı	ı	1	1	1	1	1	1	ı	ı	ı	1
Woodbury	52	1	1	1	I	1	1		ı	1	1	1	ı
Total	309	1	1	1	ı	1	110	I	I	1	-	_	2
State total	17,040	*	24	13	32	69	2,874	1,112	2	17	270	89	455
											(Table 14 c	continued on next	t page)

(Table 14 continued)							4				ı	ı	1
						Hardwoods	ш						
Forest Survey Unit and county	nit Butternut		Black walnut Svcamore	Cotton- wood	Aspen	Black cherry	Red oak White group gr	/hite oak group	Willow	Basswood	E	Northern cataloa ha	Total
Northeastern		ш											
Allamakee	*	175	*	31	23	35	625	351	2	29	28	1	1,580
Benton	Marke .		- 9	*	1	က	9	15	ı	*	1	ı	258
Black Hawk	1		-	1	1	1	*	0	ı	က	*	1	33
Bremer	1		*	∞	1	*	5	26	I	က	*	ı	62
Buchanan	1	*	1	1	1	1	4	0	1	*	*	ı	16
Butler	I		*	80	1,	1	5	26	1	က	*	ı	49
Cedar		-	*	19	1	2	20	16	1	4	2	1	157
Chickasaw	I		*	10	ı	1	80	34	1	က	-	1	99
Clayton	1	. 68	*	23	80	26	538	351	-	103	59	1	1,531
Clinton	1		- 9	I	1	17	13	12	1	-	*	1	107
Delaware	1	. 86	- 9	1	9	10	303	113	1	48	24	ı	746
Dubuque	T	. 135	5 6	390	=	110	546	243	1	26	74	1	2,080
Fayette	1		*	23	-	ည	267	139	-	28	17	1	602
Floyd			*	12	ı	*	12	29	1	4	7	1	117
Howard	1	*	*	80		1	5	26	ı	က	*	1	50
Jackson	T	66 .	6	1	7	25	128	91	1	26	က	1	481
Johnson		Ē	18	1	1	4	19	9	1	7	-	ı	59
Jones	1	. 101	1	80	ı	ည	172	62	I	49	18	ı	623
Linn	1	. 25	ر ا	ı	1	4	92	40	ı	18	13	1	266
Mitchell	I		*	63	1	1	9	33	1	4	-	1	119
Scott	1	*	1	1	1	13	တ	*	1	1	1	1	23
Tama	1			7	1	7	14	17	1	7	-	1	454
Winneshiek	1	. 22	*	17	က	-		107	2	12	2	1	286
Total	*	779	6 6	627	59	277	2,909	1,779	8	491	221	1	9,763
Northwestern													
Clay			-	ı	ı	*	16	*	1	4	*		41
Hancock	1		1	1	I	I	I	တ	1	I	1	ı	<u></u>
Kossuth	1	*	1	46	1	1	1	1	1	7	1	1	78
Lyon	1		1	က	I	1	ı	I	I	1	*	*	4
Plymouth	I		1	52	I	I	I	I	I	I	ı	ı	52
Winnebago			1	. 1	ı	I	I	161	ı	က	•	ŧ	167
Worth	1		-	4	1	1	-	8	1	-	1		10
Total	_		3	106	1	*	16	172	1	24	*	*	362
											(Table 1	(Table 14 continued on next page	next page)

O (Table 14 continued)

						Hardwoods	spoo						
Forest Survey Unit	Butternut	Black walnut Sv	Sveamore	Cotton- wood	Asnen	Black	Red oak W	White oak	Willow	Basswood	<u>E</u>	Northern	Total
Southeastern							5					ndinan	
Appanoose	ı	က	1	53	ı	ı	48	92	ı	2	1	1	288
Воопе	1	7	1	1	1	က	27	52	1	22	-	1	115
Clarke	1	-	1	1	ı	1	1	1	1	1	1	1	17
Dallas	I	*	t	81	ı	l	ı	ı	ī	1	ı	1	83
Davis	ı	-	7	43	1	1	53	74	1	*	1	1	319
Decatur	1	12	1	1	1	က	က	-	1	1	1	Ī	31
Des Moines	1	∞	0	75	1	*	80	75	1	က	4	1	355
Hardin	1	1	ı	183	1	1	80	13	1	*	19	1	540
Henry	1	21	-	40	1	1	47	92	1	2	-	1	248
Iowa	ı	17	0	37	ı	-	21	19	ı	*	က	1	169
Jasper	1	*	1	I	1	1	16	23	ı	ı	1	1	139
Jefferson	ı	16	13	87	ı	ı	66	112	ı	1	1	1	399
Keokuk	1	16	15	102	1	*	95	104	1	*	2	1	455
Le _e	1	34	တ	86	1	2	149	78	1	4	က	1	538
Louisa	1	45	-	က	ı	1	19	40	1	_	က	1	152
Lucas	ī	-	1	œ	ı	1	12	19	ı	-	1	ı	99
Madison	1	4	ı	1	1	1	က	1	ı	*	1	ı	000
Mahaska	1	. 1	41	101	ı	ı	, o	104	1	*	~	ı	451
Marion	1	*	: 1	: I	ı	ı) }	1	ı	-	1 1	1	20
Marshall	1	*	ı	ı	ı	1	-	*	ı	*	1	ı) er
Monroe	1	7	1	13	1	*	44	96	1	0	*	1	179
Muscatine	1	. 00	-) :	1	1	22	22	1	ı -	ı	1	2 6
Polk	') I	. 1	1	1	*	1 1	j	1	. 1	1		5 *
Poweshiek	'	12	*	α	1 1	(r	۰, ۲	<u>.</u>	1 1	۰, ۲	*	1 1	r C
Von Biron		- -	c	0 2		י כ	2 4	- 6	') -	40		20.0
van Buren	1	<u>. 0</u>	ο (44 0	ı	ກເ	400	3 0	ı	4 1	¢.	I	348
wapello	ı	-	5	99	ı	, co	129 -	207	ı	-	1	ı	208
Warren	1	က	1	1	ı	1	က	65	ı	1	1	1	181
Washington	1	38	12	104	1	12	187	165	1	56	12	1	737
Wayne	1	2	ı	1	ı	1	က	1	ı	-	1	ı	19
Webster	1	- 1	1	1	ı	1	22	18	1	4	*	1	
Total	-	271	66	1,134	1	34	1,240	1,565	1	81	52	1	6,537
Southwestern													
Adair	1	,	1	ı	ı	ı	1	ı	ı	ı	1	1	က
Cass	ı	16	1	ı	ı	I	1	1	ı	ı	1	i	16
Fremont	1	22	1	I	ı	1	ı	1	ı	I	1	1	99
Harrison	ı	16	1	*	1	1	1	*	ı	1	1	1	16
Mills	1	16	1	1	1	1	1	-	1	1	1	1	18
Montgomery	ı	10	1	1	1	1	1	1	1	1	ľ	ı	16
Page	1	22	I	1	1	1	1	1	1	1	1	1	89
Pottawattamie	1	16	ı	1	1	1	1	1	ı	ı	1	1	16
Ringgold	1	က	1	1	1	1	1	1	1	1	1	1	19
Shelby	1	16	1	1	ı	1	ı	ı	ī	1	1	1	16
Taylor	1	-	1	1	1	1	1	1	1	1	1	1	-
Woodbury	1	I	1	52	1	1	1	1	-	I	1	Ţ	52
Total	1	144	1	52	1	1	1	-	1	1	1	1	309
State total	*	1,197	108	1,919	29	311	4,165	3,517	8	265	273	*	16,972
to being COD and cool *													

* Less than 500 cubic feet.

Table 15.--Sawtimber removals from timberland for industrial roundwood by Forest Survey Unit, county, and species group, Iowa, 2000

(In thousand board feet)1

	Ash	90	00 +	4 7	21	20	က	19	24	24	180	7	93	160	29	33	19	19	12	47	25	23	2	17	32	964		ည	1	တ	7	1	1	1	16
	Hackberry	7	<u>†</u> +		I	7	1	7	10	9	10	1	8	27	13	6	0	1	1	2	Ø	9	1	က	2	113		I	I		I	ı	1	ı	1
	Hickory Ha	o o	0		l	7	*	_	Ξ	-	79	_	29	129	35	-	-	15	4	29	28	-	1	4	80	468		*	1	1	I	1	1	ı	*
Hardwoods	River birch	*		ı	ı	1	1	1	7	ı	*	*	-	10	1	1	1	*	1	1	1	1	1	1	*	13		1	ı	ı	ı	1	1	1	1
H ₂	Paper birch	ų	o	I	ı	1	1	1	1	1	ı	1	1	ı	1	1	•	1	1	1	1	1	ı	ı	ı	9		ı	ı	ı	ı	1	,	1	1
	Hard maple	o c	020	, .	ည	-	I	-	13	7	1,196	1	459	652	302	7	7	104	1	340	204	4	*	ı	64	3,978		ı	ı	1	ı	1	0	1	6
	Soft maple	ć	90	- L	75	20	32	7	114	N	19	216	26	193	7	20	7	256	1	391	18	9	1	1,508	4	3,895		29	1	98	ı	1	က	10	127
	Total twoods	,		ľ	ı	က	ı	က	1	က	-	1	20	1	137	က	က	1	1	ı	1	က	1	ı	-	207		1	1	1	*	1	1	1	*
	White pine soft			I	ı	က	ı	က	1	က	-	ı	1	ı	137	က	က	1	1	ı	1	က	ı	ı	-	157		ı	1	1	1	ı	1	1	1
spo	Red			ı	ı	ı	İ	1	ļ	1	1	1	17	1	1	1	1	1	1	ı	1	1	ı	ı	ı	17		ı	1	1	*	1	1	1	*
Softwoods	Jack pine		į		1	ı	1	1	1	1	1	1	33	1	1	1	1	1	1	ı	1		ı	ı	ι	33		1	1	1	1	1	1	1	1
1	Spruce				1	1	1	1	•	ı	ı	1		t	1	1	1	1	1	1	1		1	1	1	1		1	1	1	*	1	1	1	*
	AII species	0	0,209	000	128	254	29	203	641	267	5,925	429	2,920	5,833	2,449	460	205	1,941	235	2,451	1,024	575	87	1,759	1,168	36,218		157	33	391	25	302	611	46	1,564
	, Unit																																		
	Forest Survey Unit and county	Northeastern	Allamakee	Deliloli	Black Hawk	Bremer	Buchanan	Butler	Cedar	Chickasaw	Clayton	Clinton	Delaware	Dubuque	Fayette	Floyd	Howard	Jackson	Johnson	Jones	Linn	Mitchell	Scott	Tama	Winneshiek	Total	Northwestern	Clay	Hancock	Kossuth	Lyon	Plymouth	Winnebago	Worth	Total

(Table 15 continued)

Diack Red White Total Soft Mald Paper Rivor Rivor Mackborry Ash
1
10
10 22
57 -
Sign
1
286 7 - 10 44 13 - - - - - 2 15 - <td< td=""></td<>
Second State
1
1
1
203
1
10
- - 55 61 - 1 19 1 86 - </td
1
- -
1
- 72 -
- -
- -
- - - 48 7 - - 19 1 -
1 3 1 1 1 2 1 1 33 33 33 24 260 - - 3 33 24 - - - - - - - - -
- 3 3 1
- - 397 3 31 1 - - - 260 - - 3 33 24 - <t< td=""></t<>
- - 260 - - 33 24 - 1 1 427 -
- 1 427 - - 4 82 50 - </td
- 1 1 356 126 - 4 82 50 - 2 2
- - - 48 -
- -
- 7 7 6,227 285 - 43 473 229 71 -
- -
- -
- -
- -
- -
- -
- -
- -
- -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - 17 164 214 10,673 4,271 6 56 941 342 1,70
424 17 164 214 10,673 4,271 6 56
17 164 214 10,673 4,271 6 56

(Table 15 continued)

		i			narow						:	
Forest Survey Unit and county	t Butternut	Biack walnut Sycamore	-notton- wood	Aspen	cherry	ned oak w	Write oak	Willow	Basswood	EIB	Nortnern catalpa	lotai hardwoods
Northeastern			ı									
Allamakee	-	887 1	179	88	138	2,292	1,306	19	259	107	1	6,208
Benton	1	28 -	2	1	10	23	99	1	-	ı	1	995
Black Hawk	1	9	1	1	1	-	7	1	12	*		128
Bremer	1	-	48	1	*	20	95	1	10	2	1	251
Buchanan	1	-	1	1	1	13	ω	1	-	*	1	59
Butler	1	1	48	1	1	19	95	1	10	2	1	200
Cedar	1	73 1	109	1	20	186	22	1	17	9	ı	641
Chickasaw	1	1	09	1	1	28	124	1	12	9	1	265
Clayton	1	379 1	134	31	102	1,978	1,300	က	398	114	1	5,924
Clinton	1	44	1	1	29	49	45	1	က	*	1	429
Delaware	1	396	1	22	38	1,111	412	1	187	93	1	2,870
Dubuque	1	638 5	357	43	425	1,832	801	1	376	184	1	5,833
Fayette	1	68	134	9	17	978	508	က	107	65	1	2,312
Floyd	1	ω 	29	1	8	46	244	1	15	တ	1	457
Howard	1	2	48	1	1	19	95	1	10	2	1	203
Jackson	1	499	1	26	86	467	345	1	86	13	1	1,941
Johnson	1	- 62	1	1	14	20	22	1	29	4	1	235
Jones	1	464 –	40	1	19	631	228	1	187	73	1	2,451
Linn	1	121	1	1	16	346	145	1	71	48	1	1,024
Mitchell	1	4	361	1	1	23	122	1	16	9	1	573
Scott	1	*	1	1	51	33	-	1	1	1	1	87
Tama	1	33	39	1	10	52	64	1	26	2	1	1,759
Winneshiek	1	139	95	11	51	286	400	9	44	18	1	1,167
Total		3,864 16	1,722	228	1,078	10,503	6,480	32	1,891	757	1	36,011
Northwestern												
Clay	I	5	1	1	*	09	*	I	55	-	1	157
Hancock	1	1	ı	1	1	1	33	ı	1	1	1	33
Kossuth	1		266	1	1	1	1	1	29	1	1	391
Lyon	1	2	20	1	1	1	1	1	1	*	*	24
Plymouth	ı	1	302	1	1	1	1	ı	1	1	1	302
Winnebago	1	2		1	1	1	287	1	10	1	1	611
Worth	1	n 8	24	1	1	ı	6	ı	ı	ı	ı	46
Total	1	13 –	611	1	*	09	630	1	94	-	*	1,563
										/ - - - - -	7	(

						Hardwoods	spoor						
Forest Survey Unit and county	t Butternut	Black walnut S	Sycamore	Cotton- wood	Aspen	Black cherry	Red oak group	White oak group	Willow Bas	asswood	Northern Elm catalpa	iern alpa ha	Total Irdwoods
Southeastern													
Appanoose	ı	13	1	304	ı	ı	174	277	1	ω	1	1	1,190
Boone	ı	ω	ı	I	1	10	100	190	ı	82	က	ı	430
Clarke	I	က	ı	ı	1	1	I	I	ı	I	1	ı	64
Dallas	I	-	ı	471	1	I	ı	ı	ı	I	ı	ı	475
Davis	ı	4	26	247	1	I	196	270	ı	Ø	1	1	1,288
Decatur	1	81	ı	1	1	Ξ	12	9	1	ı	1	ı	151
Des Moines	1	51	∞	401	1	2	314	310	1	10	14	ı	1,537
Hardin	1	ı	ı	1,058	1	ı	31	48	ı	*	75	ı	2,431
Henry	1	92	က	214	1	1	175	371	ı	ω	4	ı	1,041
lowa	I	78	ω	211	1	S	76	69	ı	· CI	=	1	727
Jasper	ı) 1	1	ı	1 1	57	822	ı	l _I		ı	529
Jefferson	ı	73	0.5	503	ı	1	362	411		ı	,	ı	1 675
Keokiik	1	73		591	1	-	347	379	1	-	σ	ı	1 920
9	•	155	30 0	458	1	. 10	561	2.00		- - ሊ	, L		3500
Louisa	ı	265) et	41	ı		89	150	ı	<u> </u>	<u> </u>	ı	675
Licas	ı) ()	4.8	ı	ı	4 5 4 5 5	71	ı	o LC	2 1	ı	26
Madison	ľ	φ α	1	2 1			2 5) _*		١	200
Mahaska		2 1	7	783		1	361	380	1 1	c	· -		1 891
Marion	1	C	5				5	700		1 4	2		1,00,1
Marchall	1	V *	ı	1	•	1	, u	٠,	1	† †		1	0,1
Marsian	ı	d	ı	1 6	ı	۱ ۲	0 0	- 0	ı	- 0	۰ ۱	ı	
Monroe	ı	32	1 (7.7	ı	-	163	350	1	01	_	ı	269
Muscatine	I	25	m	1	ı	١,	6/	8 6		တ		ı	35
Pok	1	1	1	1 3	ı	- :	1	I ;	ı	1 :	1	ı	
Poweshiek	1	တ္တ ု	24	46	ı	15	Ξ	09	ı	13	_	ı	255
Van Buren	ı	96	59	250	ı	=======================================	234	365	ı	16	-	1	1,470
Wapello	1	4	20	380	E	13	473	758	ı	വ	ı	ı	2,017
Warren	I	13	1	1	1	1	6	236	1	ı	1	1	989
Washington	1	174	56	598	1	46	683	605	1	100	48	1	2,998
Wayne	1	10	ı	ı	ŧ	1	10	ı	ı	4	1	ı	1.
Webster	1	=	1		ı	1	17	64	1	15	*	1	- 1
Total	1	1,395	382	6,451	1	131	4,575	5,879	1	316	201	l	27,300
Southwestern													
Adair	1	4	1	l	ı	1	1	ı	1	ı	ı	1	14
Cass	1	72	1	ı	ı	1	1	1	1	ı	ı	1	72
Fremont	1	26	ı	1	I	1	i	I	ı	ı	1	ı	276
Harrison	ı	73	ı	×	1	1	ı	*	1	ı	1	1	73
Mills	1	73	1	1	1	1	ı	1	1	I	1	ı	73
Montgomery	I	72	I	I	1	I	I	I	I	l	ı	ı	72
Page	I	6	ı	ı	i	I	1	I	ı	ı	ı	1	275
Pottawattamie	I	72	ı	ı	I	I	I	I	1	1	ı	1	72
Ringgold	1	13	1	1	I	ı	I	I	1	I	ı	ı	75
Shelby	1	72	1	1	I	I	I	I	ı	ı	1	ı	72
Taylor	1	2	1	1	1	1	1	I	1	ı	1	ı	5
Woodbury	1	1	1	302	-	1	1	1	-	ı	ı	1	302
Total	-	649	1	302	1	1	ı	-k	1	1	-	1	1,380
State total	-	5,921	398	9,087	228	1,210	15,138	12,989	32	2,301	959	*	66,255
1 16 500 1 1	77												

State total
Less than 500 board feet.

Table 16.--Residue generated by industrial roundwood harvesting by Forest Survey Unit, county, and species group, Iowa, 2000

(In thousand cubic feet)

			Softwoods	sp	Ì					Hardwoods	o		
Forest Survey Unit	All		Jack	Red		Total	Soft	Hard	Paper	River			
and county Northeastern	species	abruce	bine	ріпе	bine	SOILWOODS	шаріе	шаріе	Diren	Diren	nickory n	паскреггу	Asu
Allamakee	1,049	1	ı	ı	*	*	23	132	-	*	21	က	25
Benton	234	1	1	1	1	1	210	ı	1	1	1	*	က
Black Hawk	30	ı	1	١	1	1	18	-	1	1	1	1	2
Bremer	48	1	1	ı	*	*	12	*	1	1	-	*	S
Buchanan	13	1	1	١	1		∞	ŀ	1	1	*	1	-
Butler	35	1	1	ı	*	*	*	*	1	1	*	*	ß
Cedar	114	1	1	1	1	1	28	-	1	*	7	7	9
Chickasaw	47	1	1	ı	*	*	*	-	1	ı	*	1	9
Clayton	1,064		1	ı	*	*	2	256	1	*	18	2	43
Clinton	87	1	1	1	1	1	53	1	ı	*	*	1	*
Delaware	534	1	7	-	1	4	-	109	l	-j¢	7	÷	15
Dubuque	1,040	1	1	ı	1		22	157	ı	2	26	7	35
Fayette	437	1	1	1	17	17	2	62	1	1	∞	က	14
Floyd	84	1	1	ı	*	*	2	Ø	ı	1	*	2	∞
Howard	36	ı	ı	1	*	*	*	-	1	1	*	*	2
Jackson	320	1	1	1	1	1	62	23	1	*	က	1	4
Johnson	43	1	1	1	1	1		Ì	1	1	-	1	က
Jones	460	1	1	ı	ı	1	89	79	1	ı	7	*	7
Linn	202	ı	ŀ	1	l	1	4	20	1		7	*	9
Mitchell	81	1	1	1	*	*	-	-	1	1	*	-	9
Scott	19	1	ı	1	1	i	1	*	1	1	1	1	-
Tama	413	1	ı	1	ı	1	368	ı	1	1	-	-	4
Winneshiek	166	ı	ı	٠	*	*	-	7	1	*	2	-	7
Total	6,555	1	2	-	19	23	913	880	+	2	106	28	213
Northwestern													
Clay	34	1	1	1	1	1	7	I	1	1	*	1	-
Hancock	9	1	1	1	1	1	1	1	1	1	ı	1	1
Kossuth	29	ı	ı	ı	I		21	ı	ı	1	ı	ı	2
Lyon	က	*	1	*	1	*	1	ı	ı	1	ı	ı	·k
Plymouth	32	1	ı	1	1	1	1	ı	1	1		ŧ	ı
Winnebago	112	1	ı	1	1	1	-	2	ı	1	ı	ı	ı
Worth	7	ı	ı	1	1	I	2	1	1	1	ı	ı	1
Total	253	*	1	-jx	1	*	31	2	1	1	*	1	4
											O 24 OldoT/	on an policitar	10000 +7

16											
(Table 16 continued)											
			Softwood	sp					Hardwoods	8	i
Forest Survey Unit	AII		Jack		Total	Soft	Hard	Paper	River		
and county	species	Spruce	pine	pine	pine softwoods	maple	maple maple birch birch	birch	birch		Hickory Hackberry
Southeastern											

			Softwoods	sp						Hardwood	s		
Forest Survey Unit	AII		Jack	Red	White	Total	Soft	Hard	Paper	River			
and county	species	Spruce	pine	pine	pine	softwoods	maple	maple	birch	birch	Hickory	ickory Hackberry	Ash
Southeastern													
Appanoose	219	1	1	ı	1	1	86	1	1	ı	-	ı	2
Boone	98	1	1	ı	1	1	0	2	1	ı	*	1	-
Clarke	15	1	1	1	1	1	14	ı	1	1	1	ı	-
Dallas	51	1	1	ı	1	1	-	1	ı	1	1	1	*
Davis	250	ı	1	1	1	1	131	ı	1	1	-	1,	-
Decatur	15	ı	ı	1	1	1	თ	ı	ı	*	1	1	-
Des Moines	198	1	1	1	1	ı	64	-	1	*	10	က	10
Hardin	443	ı	ı	ı	ı	1	211	6	ı	1	*	4	73
Henry	146	ı	ı	1	1	1	21	2	ı	*	7	*	7
Iowa	131	1	1	1	*	*	56	I	1	*	က	က	ო
Jasper	120	1	1	ı	ı	ı	94	I	1	1	1	1	1
Jefferson	283	ı	1	1	ı	ı	20	1	1	-	11	9	1
Keokuk	335	1	1	ı	*	*	88	1	1	-	12	6	4
Lee	346	ı	I	1	ı	ı	119	-	١	*	10	က	11
Louisa	69	1	1	1	ı	ı	12	2	1	*	5	*	က
Lucas	20	1	1	1	1	1	21	ı	ı	ı	i	١	2
Madison	9	1	1	ı	1	1	*	-	1	1	1	1	1
Mahaska	334	1	í	ı	1	ı	95	ı	1	-	11	6	2
Marion	19	1	1	1	1	1	17	ı	ı	1	1	1	*
Marshall	2	ı	ı	1	1	1	1	*	ı	ı	ı	•	*
Monroe	123	ı	ı	1	1	ı	14	ı	1	1	1	1	2
Muscatine	55	ı	1	1	1	1	12	-	1	*	5	*	က
Polk	*	1	ı	1	1	1	1	ı	1	1	1	1	1
Poweshiek	23	ı	ı	1	*	*	4	*	ı	*	*	*	-
Van Buren	232	1	1	1	1	ı	95	-	1	*	7	*	7
Wapello	362	1	1	ı	1	ı	63	ı	ı	-	∞	9	က
Warren	150	1	1	1	1	1	104	ı	1	ı	1	1	1
Washington	549	1	1	1	*	*	87	31	1	-	20	12	17
Wayne	16	1	1	1	1	1	12	1	1	1	1	1	*
Webster	26	1	1	ı	1	1	2	1	1	ı	*	1	*
Total	4,655	1		-	-	1	1,501	54	1	2	112	56	157
Southwestern													
Adair	က	1	1	1	1	1	2	1	1	1	1	1	*

next page)	(Table 16 continued on next page)	(Table 16											
375	83	218	7	-	936	2,549	24	20	-	2		11,689	State total
1	1	1	1	ı		104	1	1	1	1	1	226	Total
1	1	1	1	1	ı	1	ı	ı	1	1	ı	32	Woodbury
1	ı	1	1	1	1	1	1	1	1	1	ı	-	Taylor
ı	ı	1	1	1	1	1	1	1	1	1	1	10	Shelby
-	1	1	1	1	1	14	1	1	I	1	1	17	Ringgold
1	1	1	1	1	1	1	1	1	1	1	1	10	Pottawattamie
1	1	ı	1	1	1	44	1	1	1	1	1	22	Page
ı	i	ı	ı	1	1	1	1	1	ı	ı	1	10	Montgomery
1	1	1	1	1	1	1	1	1	ı	1	1	10	Mills
ı	ı	ı	1	1	1	1	1	1	1	ı	ı	10	Harrison
1	ı	1	1	1	1	44	1	1	ı	1	1	22	Fremont
1	1	ı	1	ı	ı	1	1	1	1	1	1	10	Cass
*	1	1	1	1	ı	2	1	1	1	1	1	က	Adair
													Southwestern
157	56	112	2	1	54	1,501	-	-	1	1	-	4	Total
*	1	*		ı	1	2	1	1	ı	1	1	26	Webster
*	1	1	1	1	1	12	1	1	1	1	1		Wayne
17	12	20	-	1	31	87	*	*	1	1	1		Washington
1	1	1	1	1	1	104	1	1	1	1	1		Warren
က	9	80	-	1	1	63	1	1	ı	1	1	362	Wapello
7	*	7	*	1	-	95	1	1	1	1	1	232	Van Buren
-	*	*	*	1	*	4	*	*	1	ı	1	23	Poweshiek

(Table 16 continued)

						Hardwoods	spoo						
Forest Survey Unit and county	t Butternut	Black walnut	Sycamore	Cotton- wood	Aspen	Black cherry	Red oak group	White oak group	Willow Basswood	poowss	<u>Е</u>	Northern catalpa h	Total hardwoods
Northeastern											ı		
Allamakee	*	86	*	19	22	17	405	200	5	63	26	i	1,048
Benton	1	4	1	*	1	7	4	10	1	*	1	I	234
Black Hawk	1	-	1	1	1	1	*	-	1	က	*	1	30
Bremer	1	1	*	2	1	*	4	17	I	က	*	1	47
Buchanan	1	*	1	1	1	1	2	-	1	*	*	1	13
Butler	1	1	*	5	1	1	က	17	ı	က	*	1	35
Cedar	1	10	*	12	1	2	32	10	I	4	-		114
Chickasaw	I	I	*	9	ı	1	5	22	ı	က	-	ı	47
Clayton	1	26	*	14	ω	16	341	211	-	97	27	1	1,064
Clinton	1	-	1	ı	1	16	6	7	ı	-	*	1	87
Delaware	1	51	1	1	2	6	197	74	1	46	17	ı	530
Dubuque	1	92	*	16	7	66	320	141	1	92	37	1	1,040
Fayette	I	4	*	4	-	4	172	92	-	26	15	1	420
Floyd	I	*	*	7	1	*	80	44	1	4	7	1	84
Howard	1	*	*	2	1	1	က	17	1	က	*	ı	35
Jackson	1	20		1	9	17	83	43	1	24	က	1	320
Johnson	I	Ξ	1	l	I	က	13	4	1	7	-	1	43
Jones	1	09	ı	က	1	2	112	41	1	46	12	1	460
Linn	1	13	1	1	1	4	62	26	1	17	=	1	202
Mitchell	1	-	*	39	1	1	4	22	1	4	-	ì	81
Scott	1	*	1	1	1	12	9	*	1	1	1	ı	19
Tama	I	4	1	4	1	0	6	1	1	9	-	ı	413
Winneshiek		4	*	10	3	5	48	59	2	11	4	1	165
Total	*	402	3	161	56	219	1,844	1,073	8	461	163	-	6,532
Northwestern													
Clay	1	-	1	ı	ı	*	7	*	1	14	*	ı	34
Hancock	1	I	ı	ı	ı	ı	1	9	1	i	1	1	9
Kossuth	I	*	ı	28	1	1	1	1	ı	7	1	1	59
Lyon	I	*	1	α.	1	ı	1	1	ı	1	*	*	က
Plymouth	Î	I	I	32	1	1	1	1	1	1	1	1	32
Winnebago	1	*	I	I	ı	ı	ì	106	ı	7	1	1	112
Worth	1	*	1	3	1	1		2	ì	1	1	1	7
Total	1	2	l	65	1	*	11	114	1	23	*	*	253

(Table 16 continued on next page)

Forest Survey Unit and county Southeastern						Hardwoods	spoo						
Southeastern	Butternut	Black walnut	Sycamore	Cotton- wood	Aspen	Black cherry	Red oak group	White oak group	Willow Basswood	poo	EIB E	Northern catalpa har	Tota dwoods
4 1 1 1 V									ш			ı	ı
Appanoose	1	2	1	33	ı	ı	31	20	1	2	ı	1	219
Boone	1	, -	1	1	ı	2	18	34	1	21	-	i	∞
Clarke	1	*	1	1	1	1	1	1	1	1	1	1	-
Dallas	ì	*	•	20	1	ì	ı	1	1	1	1	1	5
Davis	1	-	9	26	1	ı	35	49	1	*	1	1	250
Decatur	1	7	1	1	1	*	7	*	1	i	ı	1	Ë
Des Moines	1	7	2	36	1	*	32	33	1	2	2	ı	19
Hardin	1	I	1	113	1	1	9	6	1	*	8	1	44
Henry	1	13	-	18	1	1	28	47	1	-	-	1	14
lowa	1	=	7	23	١	-	14	12	1	*	က	1	13
Jasper	1	*	1	1	1	1	01	15	1	1	1	1	12
Jefferson	1	10	12	54	1	1	65	74	1	1	ı	1	28
Keokuk	1	10	14	63	1	*	63	69	1	+ x	2	ı	33
Lee	1	21	6	40	ı	2	85	39	1	0	ı «	1	34
Louisa	1	14	-	*	1	1	12	18	,	-	*	1	9
Lucas	1	*	1	S	1	1	ω	13	1	-	1	1	5
Madison	1	2	1	1	1	1	2	1	,	*	ı	1	
Mahaska	1	ı	13	62	1	1	65	69	1	*	2	1	33
Marion	1	*	1	1	1	1	1	1	ı	-	1	ı	_
Marshall	1	*	1	1	1	1	-	*	1	*	1	1	
Monroe	1	4	ı	∞	1	*	29	63	1	2	*	1	12
Muscatine	1	7	-	1	1	1	14	17	1	-	1	1	5
Polk	1	ı	ı	ı	1	*	1	1	1	1	1	1	*
Poweshiek	1	7	*	2	1	*	Ø	4	1	က	*	1	2
Van Buren	1	က	7	26	1	*	42	40	ı	4	×	ı	23
Wapello	1	-	12	41	1	က	85	137		-	1	ı	36
Warren	1	2	1	1	1	1	2	43	1	1	1	1	15
Washington	1	23	14	64	1	-	123	109	1	24	12	ŧ	54
Wayne	1	-	1	1	1	1	2	1	1	-	ı	I	_
Webster	1	N	1	1	1	1	3	12	1	4	*	-	26
Total	1	128	93	668	ı	24	781	957	1	73	43	1	4,65
Southwestern													
Adair	1	*	1	1	1	1	1	1	1	1	1	1	
Cass	1	10	1	1	ı	1	ı	1	1	ı	ı	ı	_
Fremont	1	13	1	1	1	ı	ı	1	1	1	ı	1	Ŋ
Harrison	1	10	ı	*	1	i	ı	*	1	ı	ı	1	_
Mills	1	10	1	1	1	1	ľ	1	1	ı	1	1	_
Montgomery	1	10	ı	1	1	1	ı	1	1	1	ı	1	
Page	1	13	ı	ı	1	ı	I	1	1	1	ı	ı	Ŋ
Pottawattamie	1	10	1	1	1	ı	1	1		ı	ı	1	_
Ringgold	1	7	1	1	1	ı	1	ı	1	1	1	1	_
Shelby	I	10	1	ı	1	1	1	1	1	ı	ı	I	9
laylor	ı	-	1	1	1	ı	1	1	1	1	1	1	•
Woodbury	1	1	1	32		1	1	1	1	,		1	3
lotai	1	88	1	32	1	_			1	1	-	1	22
State total	*	621	96	927	26	243	2,636	2,144	8	557	206	*	11,66

Table 17.--Residues produced at primary wood-using mills by Forest Survey Unit, type of use, and residue type, Iowa, 2000

(In thousand tons, green weight)

				endiaer boow	onlying			
Forest Survey Unit	Total all material	material	Coarse		Fine ²		Bark	¥
and type of use	Softwood	Hardwood	Softwood	Hardwood	Softwood	Hardwood	Softwood	Hardwood
Northeastern Unit								
Fiber products	1	23.88	1	23.29	1	1	1	0.59
Industrial fuel	*	25.16	*	10.93	1	14.03	*	0.20
Domestic fuel	0.27	13.22	0.19	11.94	*	0.03	0.08	1.25
Miscellaneous ³	0.16	77.56	0.03	28.35	0.12	19.00	0.01	30.21
Not used	*	3.25	*	2.08	*	1.08	*	0.09
Total	0.43	143.07	0.22	76.59	0.12	34.14	0.09	32.34
Southeastern Unit								
Fiber products	1	31.60	1	26.57	1	ı	ı	5.03
Industrial fuel	1	25.29	1	13.21	1	6.99	1	5.09
Domestic fuel	*	4.37	*	3.59	1	0.17	*	0.61
Miscellaneous ³	0.01	38.60	*	5.91	0.01	20.64	*	12.05
Not used	*	6.16	*	0.61	-	5.37	*	0.18
Total	0.02	106.01	0.01	49.88	0.01	33.17	*	22.96
Northwestern and Southwestern Units ⁴	outhwestern	Units ⁴						
Industrial fuel	1	6.21	1	3.54		1.18	1	1.49
Domestic fuel	Ι	0.57	1	0.57	1	1	1	1
Miscellaneous ³	1	1.13	1	0.26	-	0.50	1	0.37
Total	1	7.91	1	4.37	1	1.68	1	1.86
All Units								
Fiber products	1	55.48	1	49.86	1	1	1	5.62
Industrial fuel	*	56.66	*	27.68		22.20	*	6.78
Domestic fuel	0.27	18.16	0.19	16.10	*	0.20	0.08	1.86
Miscellaneous ³	0.17	117.27	0.03	34.52	0.13	40.13	0.01	42.62
Not used	*	9.41	*	2.69	*	6.45	*	0.27
Total	0.45	256.99	0.22	130.84	0.13	68.99	0.10	57.16
+ 1 14 1								

^{*} Less than 5 green tons.

Suitable for chipping such as slabs, edgings, veneer cores, etc.

Not suitable for chipping such as sawdust, veneer clippings, etc.

³ Livestock bedding, mulch, small dimension, and specialty items.

The Northwestern and Southwestern Units are combined to avoid disclosure of individual mills.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410, or call (202) 720-5964 (voice or TDD). USDA is an equal opportunity provider and employer.

Piva, Ronald J.; Michel, Dennis D.

2003. **lowa timber industry—an assessment of timber product output and use, 2000.** Resour. Bull. NC-215. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 49 p.

Discusses recent lowa forest industry trends; production and receipts of industrial roundwood; and production of saw logs, veneer logs, and pulpwood in 2000. Reports on logging residue generated from timber harvest operations. Also reports on wood and bark residue generated at primary woodusing mills and on disposition of mill residues.

KEY WORDS: Industrial roundwood, logging residue, mill résidue, production, receipts, saw logs

The Forest Inventory and Analysis web site is: www.fia.fs.fed.us

MISSION STATEMENT

We believe the good life has its roots in clean air, sparkling water, rich soil, healthy economies, and a diverse living landscape. Maintaining the good life for generations to come begins with everyday choices about natural resources. The North Central Research Station provides the knowledge and the tools to help people make informed choices. That's how the science we do enhances the quality of people's lives.

For further information contact:

North Central Research Station USDA Forest Service 1992 Folwell Ave. St. Paul, MN 55108

Or visit our web site: www.ncrs.fs.fed.us